eurocell®

ROOFING SOLUTIONS

EXCLUSIVE TRADE DEALS AVAILABLE

Ask in-branch for more details

| luma | skypod | equinox | equinox^VEGA |

envirotile® POLYTOPS MidlandLead easy-trim
Roofing & Construction Products

ROOFING, ROOFLINE & RAINWATER

PRODUCT RANGE

RAINWATER   122

OVER 6000 PRODUCTS IN-BRANCH

210+ BRANCHES NATIONWIDE

PRODUCT EXPERTS IN EVERY BRANCH

FREE SURVEYS & QUOTATIONS

CLICK & COLLECT IN-BRANCH

FREE ONSITE DELIVERY*

*Free onsite delivery on orders over the min. spend - Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland.

eurocell®

ROOFLINE

CONTENTS

HIGH QUALITY FASCIAS, SOFFITS, CLADDING AND ACCESSORIES HELP TO ADD THE ESSENTIAL FINISHING TOUCHES TO ANY ROOFLINE PROJECT

- **Eaves protector**
  A high quality, PVC eaves protector that ensures any roof underlay does not drape into the gutter. Eurocell eaves protector prevents water ponding behind fascia's and rotting of roof underlay in guttering thus reducing maintenance at eaves level - find out more on page 18.

- **3-in-1 felt support tray**
  The 3-in-1 felt support tray incorporates an integral over fascia vent and bird comb to promote air circulation and limit animal and insects entering the roof.

- **Hollow soffit**
  Our decorative hollow soffit board features in-built ventilation, helping to maintain airflow throughout your loft space - find out more on page 17.

Eaves protector

3-in-1 ventilation

Hollow soffit

ROOFLINE ANATOMY

A **FASCIA**

For our range of direct replacement fascia and capping boards, **go to page 8**

B **DRY VERGE**

Neaten up ragged roof edges with our universal dry verge range **on page 42**

C **TRIMS**

From corner trims to joint trims, find all you need to complete your roofline job **on page 14**

D **SOFFITS**

Choose from our range of plain and ventilated soffit boards **on page 16**

For more detailed information on our roofline range, including measurements and fitting instructions, please refer to our specification guide.

Call **08000 77 88 88** to request a copy, or download at **eurocell.co.uk**

SIZE GUIDE

Our roofline products are available in various widths and thicknesses.

When we refer to **18mm** fascia board, we are talking about the **thickness** of the board.

The **width** of our fascia boards vary. In the example opposite, we show a **150mm** width board, but this particular product is available in widths up to 450mm – so you choose a size to best suit your project.

18mm

150mm

INSTALLATION EXAMPLES

18mm Euroboard

Corner trims

9mm utility board

FASCIA BOARD

18mm fascia board installed on a gable box end, finished with corner **(DCBCT)** and joint trims **(DCBJT).**

SOFFIT BOARD

300mm vented hollow soffit board **(SB300)** allows air to flow freely in the roof space. This decorative board is complemented by sculpted 18mm ogee fascia boards **(OGE225).**

CAPPING BOARD

9mm capping board **(CB250)** with 9mm utility board **(UB300)** fitted to a new 6mm plywood substrate*.

*Our capping boards can be fitted over existing facsia boards, providing that they are sound.

FITTING TIPS

FOILED AND LAMINATED BOARDS

All foiled and laminated boards should be fitted in lengths of **2.5m** maximum, to accommodate the expansion requirements – particularly on south facing elevations. Lift protective tape for inspection before installation.

CAPPING BOARD

Capping board should only be affixed to existing timber fascias if they are sound. Where the integrity of existing fascia is compromised, replace with a timber backboard and use timber fillets for additional support.

WHICH SEALANT?

Eurocell recommends Soudal neutral cure silicone sealants for all PVC-U roofline applications, for safe high-performance adhesion to PVC-U and masonry.

See pages 68-69

FASCIA BOARDS

Double euroboard 18mm

5m lengths

Standard   **Ogee**

Standard & Ogee double euroboard

Standard

Code	Size	Pack qty
DEB350	350mm x 5m	1 pack
Colour options: 64 / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* / WCR* GY3* / GY2* / GY4*		
DEB450	450mm x 5m	1 pack
Colour options: 64 / CR / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* / WCR* GY3* / GY2* / GY4*		

Ogee

Code	Size	Pack qty
DOGE400	400mm x 5m	1 pack
Colour options: 64 White		

Box end board 18mm

1.25m lengths

Standard   **Ogee**

450mm Standard & 400/450mm Ogee

Standard

Code	Size	Pack qty
BEOGE400	400mm x 1.25m	1 pack
BEEB450	450mm x 1.25m	1 pack
Colour options: 64 White		

TRADE ESSENTIALS

Euroboard 18mm

5m lengths

Standard   **Ogee**

Standard euroboard

Code	Size	Pack qty
EB150	150mm x 5m	2 pack
EB175	175mm x 5m	2 pack
Colour options: 64 / CR / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* WCR* / GY3* / GY2* / GY4*		
EB200	200mm x 5m	2 pack
Colour options: 64 / CR / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* WCR* / GY3* / GY2* / GY4* / GY17*		
EB225	225mm x 5m	2 pack
Colour options: 64 / CR / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* WCR* / GY3* / GY2* / GY4*		
EB250	250mm x 5m	2 pack
Colour options: 64 / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* / WCR* GY3* / GY2* / GY4*		
EB300	300mm x 5m	2 pack
Colour options: 64 White		

Ogee euroboard

Code	Size	Pack qty
OGE175	175mm x 5m	2 pack
OGE200	200mm x 5m	2 pack
OGE225	225mm x 5m	2 pack
Colour options: 64 White		

COLOUR OPTIONS

64
White

CR
Cream

WO
Golden Oak

RO
Rosewood

WLO1
Irish Oak

WZ
White Ash

GY1
Anthracite Grey†

GY1S
Anthracite Grey Smooth

WY
Black Ash

WT1
Chartwell Green

WCR
Cream White

GY3
Moondust Grey†

GY2
Slate Grey†

GY4
Agate Grey

GY17
Balmoral

* Made to order   † Alternative codes if short codes don't work   GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

FASCIA BOARDS

Bull-nosed fascia board 18mm

5m lengths

Replacement bull-nosed fascia is ideal for new build and refurbishment projects.

Code	Size	Pack qty
HBN150	150mm x 5m	2 pack
HBN175	175mm x 5m	2 pack
HBN200	200mm x 5m	2 pack
HBN225	225mm x 5m	2 pack
HBN250	250mm x 5m	2 pack
Colour options: 64 White		

Flat fascia board 16mm

5m lengths

This 16mm flat fascia board is a simpler alternative to standard fascia board, and is ideal for new build and refurbishment projects.

Code	Size	Pack qty
EFF150	150mm x 5m	2 pack
EFF175	175mm x 5m	2 pack
EFF200	200mm x 5m	2 pack
EFF225	225mm x 5m	2 pack
EFF250	250mm x 5m	2 pack
EFF300	300mm x 5m	2 pack
EFF400	400mm x 5m	1 pack (double ended)
Colour options: 64 White, GY1 Anthracite Grey, WY Black Ash, WRO Rosewood		

HINTS & TIPS
Always use LMN silicone with roofline products.

Find out more on pages 68-69

Double bull-nosed fascia 18mm

18mm x 400mm board

Code	Size	Pack qty
HBN400	400mm x 5m	1 pack
Colour options: 64 White		

FINISHING OFF
We have a range of cleaning products. See in-branch

CAPPING BOARDS

GUARANTEED 10 YEARS

ON FOILED COLOURS

GUARANTEED 20 YEARS

ON WHITE

ATTRACTIVE CAPPING BOARDS TO REFRESH TIRED TIMBER

Stylish and cost-effective PVC-U boards designed to fit over existing timber fascias

Standard or decorative ogee fascia board for direct fixing to existing sound fascia boards or plywood

Designed for ease of fitting and low maintenance, with no painting required

An attractive and easy to install solution for any replacement roofline project

Capping board 9mm - Standard

5m lengths

See page 9 or 13 for colour swatches

* Made to order

† Alternative codes if short codes don't work
GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

Standard capping board

Code	Size	Pack qty
CB150	150mm x 5m	4 pack
Colour options: 64 / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / BW / WT1* WCR* / GY3* / GY2* / GY4*		
CB175	175mm x 5m	4 pack
Colour options: 64 / CR / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / BW / WT1* WCR / GY3* / GY2* / GY4*		
CB200	200mm x 5m	4 pack
Colour options: 64 / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / BW / WT1* WCR / GY3* / GY2* / GY4*		
CB225	225mm x 5m	4 pack
Colour options: 64 / CR / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / BW / WT1* WCR / GY3* / GY2* / GY4*		
CB250	250mm x 5m	4 pack
Colour options: 64 / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* / WCR GY3* / GY2* / GY4*		
CB300	300mm x 5m	2 pack
Colour options: 64 / GY1 / WY*		

CAPPING BOARDS

Capping board 9mm - Ogee

5m lengths

Ogee capping board

Code	Size	Pack qty
EOCB150	150mm x 5m	4 pack
Colour options: 64 / GY4*		
EOCB175	175mm x 5m	4 pack
EOCB200	200mm x 5m	4 pack
EOCB225	225mm x 5m	4 pack
Colour options: 64 / CR* / WO* / RO* / WLO1* / WZ* / GY1* / GY1S* / WY* / BW* WT1* / WCR* / GY3* / GY2* / GY4*		
EOCB300	300mm x 5m	2 pack
Colour options: 64 / GY4*		

Box end boards 9mm

1.25m lengths

450mm standard

Code	Size	Pack qty
BECB450	450mm x 1.25m	1 pack
Colour options: 64 White		

Double capping board 9mm

5m lengths

Standard   Ogee

Standard & Ogee double capping board

Standard

Code	Size	Pack qty
DCB350	350mm x 5m	2 pack
Colour options: 64 / WO / RO / WLO1 / WZ* / GY1 / GY1S* / WY / WT1 / WCR GY3* / GY2* / GY4*		
DCB450	450mm x 5m	2 pack
Colour options: 64 / WO / RO / WLO1 / WZ* / GY1 / GY1S* / WY / WT1* / WCR* GY3* / GY2* / GY4*		

Ogee

Code	Size	Pack qty
EDOCB404	404mm x 5m	2 pack
Colour options: 64 White		

i

See page 9 or 13 for colour swatches

* Made to order

† Alternative codes if short codes don't work
   GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

COLOUR OPTIONS

64
White

CR
Cream

WO
Golden Oak

RO
Rosewood

WLO1
Irish Oak

WZ
White Ash

GY1
Anthracite Grey†

GY1S
Anthracite Grey Smooth

WY
Black Ash

WT1
Chartwell Green

WCR
Cream White

GY3
Moondust Grey†

GY2
Slate Grey†

GY4
Agate Grey

GY17
Balmoral

* Made to order   † Alternative codes if short codes don't work   GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

FINISHING TRIMS

FINIAL RF1

FIXING PINS

JOINT TRIMS

Add the right finishing touches to your roofline project with our range of finishing trims.

FASCIA & CAPPING FINISHING TRIMS

DCBJT	Double capping board joint trim

Colour options:
64 / CR / WY / WT1* / WCR*
GY1 / GY1S* / GY3* / GY2*
WO / WLO1 / RO / WZ / GY4*
GY17*

DCBCT	Double capping board corner trim

Colour options:
64 / CR / WY / WT1* / WCR*
GY1 / GY1S* / GY3* / GY2*
WO / WLO1 / RO / WZ / GY4*
GY17*

DCBICT90	Double 90° internal corner trim

Colour options:
64 / CR / WY / WT1* / WCR*
GY1 / GY1S* / GY3* / GY2*
WO / WLO1 / RO / WZ / GY4*
GY17*

CBECT135	Universal external 135° corner trim

Colour options:
64 / WY / GY1* / GY1S* / WO / WLO1 / RO

CBICT135	Universal internal 135° corner trim

Colour options:
64 / WY / WO / WLO1* / RO

EDOGJT	Double Ogee joint trim

Colour options:
64 / WO* / RO*

EDOGCT	Double Ogee corner trim

Colour options:
64 / WO* / RO*

EDOGICT90	Double Ogee 90° internal corner trim

Colour options:
64 / WO* / RO*

HBNJT	Double bull nosed joint trim

Colour options:
64 White

CBEC	Capping board end caps

Colour options:
WY / GY1 / WO / RO / WZ

HBNCT	Double bull nosed corner trim

Colour options:
64 White

HBNICT	Double bull nosed internal corner trim

Colour options:
64 White

RF1	Roofline finial

Colour options:
64 / WY / WT1* / WCR*
GY1 / GY1S* / GY3* / GY2*
WO / WLO1 / RO / WZ / GY4*
GY17

See page 9 or 13 for colour swatches

* Made to order

† Alternative codes if short codes don't work
  GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

SOFFIT BOARDS

A COMPLETE RANGE OF SOFFIT BOARDS FOR EVERY APPLICATION

Complete range of soffit boards are easy to fit and are fully compatible with our fascia systems for an exact colour match

Give your roofline an attractive, clean-edged finish, available in a range of colours

Available as standard utility board, vented Eurosoffit boards or lightweight hollow soffit boards

GUARANTEED 20 YEARS

ON WHITE PRODUCTS

9mm utility board provides a simple, clean look and can be enhanced with separate vents and accessories to maintain airflow through your loft space

Utility boards 9mm

5m lengths

100-605mm

9mm

* Made to order
† Alternative codes if short codes don't work
  GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

Standard

Code	Size	Pack qty
UB100	100mm x 5m	4 pack
Colour options: 64 / WO / RO / WLO1 / WZ / GY1 / GY1S* / WT1* / WCR* / GY3* GY2* / GY4*		
UB125	125mm x 5m	4 pack
Colour options: 64 White		
UB150	150mm x 5m	4 pack
Colour options: 64 / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / BW / WT1* / WCR GY3* / GY2* / GY4* / GY17*		
UB175	175mm x 5m	4 pack
Colour options: 64 White		
UB200	200mm x 5m	4 pack
Colour options: WH / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / BW / WT1* / WCR / GY3* / GY2* / GY4* / GY17*		
UB225	225mm x 5m	4 pack
Colour options: 64 / WO		
UB250	250mm x 5m	2 pack
Colour options: 64 White		
UB300	300mm x 5m	2 pack
Colour options: WH / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* / WCR* GY3* / GY2* / GY4* / GY17*		
UB350	350mm x 5m	2 pack
Colour options: 64 White		
UB400	400mm x 5m	2 pack
Colour options: 64 / WO / RO / WLO1* / WZ* / GY1 / GY1S* / WY* / WT1* / WCR* GY3* / GY2* / GY4*		
UB450	450mm x 5m	2 pack
Colour options: 64 White		
EUB605	605mm x 5m	1 pack
Colour options: 64 White		

TRADE ESSENTIALS

EUROSOFFIT BOARDS 9MM

Hollow soffit board 9mm

5m lengths

Standard

Vented

A decorative and lightweight alternative to traditional flat soffit boards

Standard

Code	Size	Pack qty
SB100	100mm x 5m	10 pack
Colour options: 64 / WO / RO / GY1 / GY1S		
SB300	300mm x 5m	5 pack
Colour options: 64 / CR / WO / RO / WLO1 / WZ / GY1 / GY1S* / WY / WT1* WCR* / GY3* / GY2* / GY4* / GY17*		

Vented

Code	Size	Pack qty
VB100	100mm x 5m	10 pack
VB300	300mm x 5m	5 pack
Colour options: 64 White		

10 & 25mm airspace slots

10mm airspace

Code	Size	Pack qty
ES150	150mm x 5m	2 pack
Colour options: 64 / WO / RO / WY / WT1* / WCR* / GY1 / GY1S* / GY3* / GY2* WZ* / WLO1* / GY4*		
ES200	200mm x 5m	2 pack
Colour options: W64 / WO / RO / WY / WT1* / WCR* / GY1* / GY1S* / GY3* / GY2* WZ* / WLO1* / GY4*		
ES225	225mm x 5m	2 pack
ES250	250mm x 5m	2 pack
Colour options: 64 White		
ES300	300mm x 5m	2 pack
Colour options: 64 / WO / RO / WY / WT1* / WCR* / GY1* / GY1S* / GY3* / GY2* WZ* / WLO1* / GY4*		
ES400	400mm x 5m	2 pack
EES450	450mm x 5m	1 pack
EES605	605mm x 5m	1 pack
Colour options: 64 White		

25mm airspace

Code	Size	Pack qty
DES150	150mm x 5m	2 pack
DES225	225mm x 5m	2 pack
DES300	300mm x 5m	2 pack
DES450	450mm x 5m	2 pack
Colour options: 64 White		

A COMPLETE RANGE OF EUROSOFFIT BOARDS FOR EVERY APPLICATION

10mm

25mm

5m lengths

VENTILATORS & ACCESSORIES

DISC VENTILATOR CSVE

Configure your roofline for optimum performance with our range of ventilators and accessories

PT3064 — 30mm panel trim
30mm
5 x5m

Colour options:
64 White

PJ40 — 40mm panel joint
40mm
10 x5m

Colour options:
64 White / ROF Rosewood / WY Black Ash / OF Golden Oak / CR Cream / WLO1 Irish Oak / GY1 Anthracite Grey / GY1S Anthracite Grey Smooth / WZ White Ash / WT1 Chartwell Green / GY2 Slate Grey / GY2S Slate Grey Smooth / GY4 Agate Grey / GY17 Balmoral

BC25 — 25mm board clip
25mm
10 x5m

Colour options:
64 White / CR Cream / WLO1 Irish Oak / GY1 Anthracite Grey / GY1S Anthracite Grey Smooth /WZ White Ash / ROF Rosewood / WYF Black / OF Golden Oak / WTI Chartwell Green / GY4 Agate Grey / GY17 Balmoral / GY2 Slate Grey / GY2S Slate Grey Smooth

SV10 — 10mm soffit ventilator
10mm
10 x5m

Colour options:
64 White / BK Black / O Oak / BN Brown

CSVET — 70mm disc ventilator
70mm
50 pack

Colour options:
W White / BK Black / BR Brown / GY Grey / O Oak

FET40 — 40mm felt edge trim
40mm
10 x5m

Colour options:
64 White

GEP — Eaves protector
1.5mm
1.5m long

— 10mm over-fascia ventilator
1m long

Code	Size	Qty
OFV10	10mm	60
OFV25	25mm	50

OFVS10 — 10mm over-fascia vent with comb
10mm
3-IN-1
1m long

CF1000 — Eaves comb filler
1m
50 x1m

FIXINGS

Fixing pins

250 pack

30mm & 40mm fixing pins

Code	Size
FP30	30mm
FP40	40mm

Colour options:
WH White / BL Black / BR Brown / BE Beige / O Oak / RW Rosewood / GY Grey / WLO1 Irish Oak / CR Cream / T1 Chartwell Green* / SGY3 Slate Grey* / GYY Anthracite Grey / BG Balmoral* (* Made to order)

Fixing nails

100 pack

50mm & 65mm fixing nails

Code	Size
FN50	50mm
FN65	65mm

Colour options:
WH White / BL Black / BR Brown / O Oak / RW Rosewood / GY Grey / WLO1 Irish Oak / CR Cream / T1 Chartwell Green* / SGY3 Slate Grey* / GYY Anthracite Grey / BG Balmoral* (* Made to order)

Cladding pins

250 pack

Cladding pins

Code	Size
CP 25	25mm
CP 30	30mm

Colour options:
WH White / BL Black / BR Brown / O Oak / RW Rosewood / GY Grey / WLO1 Irish Oak / CR Cream / T1 Chartwell Green* / SGY3 Slate Grey* / GYY Anthracite Grey / BG Balmoral* (* Made to order)

ADHESIVES & ACTIVATORS

SG50THICK

Superglue 50gm

- Easy to apply
- High viscosity

ACT200

Activator 200ml

- Instant cure and bonding in seconds

SGKIT

Superglue & activator kit 50gm/200ml

- Instant cure and bonding in seconds

easy-trim

Roofing & Construction Products

WE THINK OUR PRODUCT IS GREAT.

BUT DON'T JUST TAKE OUR WORD FOR IT.

Real reviews of Easy-Trim Ridge Kits from installers*

★★★★★

10/10
Perfect. Easy to install and everything needed supplied. Plastic pieces (terracotta in mine) matched well to the ridges.

★★★★★

MORTAR FREE FIXING
Excellent product, mortar free mechanical ridge tile fixing with easy to follow instructions.

★★★★★

I WOULD BUY AGAIN
Used on a new garage. Easy to install and well manufactured.

★★★★★

BEST RIDGE KIT AROUND
Alway use this dry ridge kit for clay angled ridge, fits the best

★★★★★

RECOMMEND
Quick and easy to use. Good Result.

★★★★★

QUICK AND EASY DRY RIDGE SYSTEM 5*
Easy to fit. All parts required are included also instructions dedicated to the dry ridge system, looks and feels like a quality product, with plenty of ventilation via the roll webbing.

ASK FOR THE EASY-TRIM BRAND IN YOUR LOCAL eurocell® BRANCH

* Reviews taken from a selection of merchants selling online

easy-trim®

Roofing & Construction Products

DRY FIX • VENTILATION • MEMBRANES
LEAD ALTERNATIVES • OVER FASCIA VENTS

ASK FOR THE EASY-TRIM BRAND IN YOUR LOCAL eurocell® BRANCH

LIGHTWEIGHT ROOFING

CONTENTS

EUROCELL'S COMPREHENSIVE RANGE OF LIGHT WEIGHT ROOF TILES ARE LIGHT WEIGHT AND EASY TO INSTALL. WITH 3 LEADING OPTIONS WITH ENVIROTILE, TAPCO AND METROTILE, WE'VE GOT IT COVERED.

Adding to the growing range of lightweight roofing products, and New to the range Eurocell has added Onduline corrugated roofing sheets.

- **Envirotile** is a revolutionary roof tile system developed by a roofer for roofers, and has a unique fixing system which is fully compliant with BS 5534. It's leading design means it requires just 12 tiles per m^2, and can be installed to a minimum of 12.5^o pitch. A flat, precision manufactured, recycled polymer, lightweight roof tile with excellent green credentials.

- **Tapco** slate is a stylish range of traditional format roof tiles made from 100% virgin resins and limestone. A stylish addition to conservatory or other light weight roofing jobs, Tapco is extremely hard wearing, easy to fit and can be installed to a minimum of 14^o pitch.

- **Metrotile** the lightweight steel roofing systems, pressed from the highest quality steel and providing a durable solution to all of your roofing needs. From small conservatories to large-scale new build projects.

- **Slateskin** The leading GRP sheet roof tile system from our Equinox conservatory roof system, which gives a traditional slate-effect in half the time is now available as a stand-alone product suitable for a range of domestic applications.

- **Onduline** The original bituminous roof sheet for renovating the roofs of a versatile mix of applications from garden sheds, pergolas, summer houses and workshops.

ONDULINE CORRUGATED ROOF SHEET

SAVE TIME, SAVE MONEY

with **envirotile®**

COST SAVING, SUSTAINABLE ROOF TILE

UNIQUE DESIGN
fully **storm tested**

ON AVERAGE
20%
CHEAPER
PER ROOF

FEATURES & BENEFITS

|						
Faster to fit and more secure with unique fitting system	Lightweight and easy to install	Made from 75% recycled materials	Anti fungal properties	**12.5°** Can be installed to a minimum 12.5° pitch	**GALE FORCE GUARANTEE** Weather tested to 147mph	**GUARANTEE 40 YEARS GUARANTEE** 40-year guarantee for peace of mind

* Compared to other lightweight roof tiles

AVAILABLE IN 2 FINISHES, 4 COLOURS & 3 SIZES

SLATE-EFFECT FINISH

STANDARD FINISH

TERRACOTTA

SLATE GREY

DARK BROWN

ANTHRACITE GREY

FULL RANGE OF COMPONENTS IN A RANGE OF COLOURS AND FINISHES

RIDGE CAP

GABLE END CAP

HIP CAP

HIP END CAP

RIDGE TO APEX

ENVIROTILE SLATE

Why choose Envirotile?

The lightest, biggest roof tiles on the market with a unique interlocking system that makes any job quick and easy to fix.

Unbreakable, dry cut tiles made from 75% recycled materials save hassle and environmental impact.

Performing on pitches as low as 12.5 degrees and good for all structures that can't handle a lot of weight, Envirotile is perfect whatever the job.

So whether the problem roof is a main frame or a lightweight conservatory, Envirotile is the answer.

Envirotile slate

Code	Size
ENVSLS	Single – Size: L:365mm x W:325mm x D:11mm
ENVSLD	Double – Size: L:365mm x W:630mm x D:11mm
ENVSLH	Half – Size: L:365mm x W:175mm x D:11mm

Ridge cap

Code	Size
ENVSLRC	L:425mm x W:245mm x H:105mm

Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

Hip cap

Code	Size
ENVSLHC	L:425mm x W:165mm x H:70mm

Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

ENVSLHEC	**Hip end cap** L:180mm x W:245mm x H:90mm

Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

ENVSLRAC	**Ridge to apex** L:252mm x W:292mm x H:145mm

Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

ENVSLGEP	**Gable end cap** L:28mm x W:325mm x H:178mm

Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

ENVIROTILE STANDARD

Envirotile standard

Code	Size
ENVSTS	Single – L:365mm x W:325mmxD:11mm
ENVSTD	Double – L:365mmx W:630mmxD:11mm

Colour options: AG Anthracite Black / GY Grey / BR Brown / TR Terracotta

Ridge cap

Code	Size
ENVSTRC	L:475mm x W:300mm x H:170mm

Colour options:
AG Anthracite Black / GY Grey / BR Brown / TR Terracotta

Hip cap

Code	Size
ENVSTHC	L:425mm x W:150mm x H:70mm

Colour options:
AG Anthracite Black / GY Grey / BR Brown / TR Terracotta

ENVSTHEC	**Hip end cap** L:180mm x W:150mm x H:70mm

Colour options:
AG Anthracite Black / GY Grey /
BR Brown / TR Terracotta

ENVSTRTA	**Ridge to apex** L:280mm x W:300mm x H:170mm

Colour options:
AG Anthracite Black / GY Grey /
BR Brown / TR Terracotta

ENVSTGEC	**Gable end cap** L:30mm x W:300mm x H:170mm

Colour options:
AG Anthracite Black / GY Grey /
BR Brown / TR Terracotta

COLOUR OPTIONS - SLATE

TR Terracotta	**BR** Brown
SG Slate Grey	**BK** Anthracite Grey

COLOUR OPTIONS - STANDARD

TR Terracotta	**BR** Brown
SG Slate Grey	**AG** Anthracite Black

COMPOSITE ROOF TILES - ENVIROTILE

ENVIROTILE STANDARD/SLATE

Standard lowline vent

Code	Size
ENVSTLVT	L:365mm x W:325mm x D:11mm + Profile

Colour options:
AG Anthracite Grey / GY Grey / BR Brown / TR Terracotta

Standard cowl vent

Code	Size
ENVSTCVT	L:365mm x W:325mm x D:11mm + Profile

Colour options:
AG Anthracite Grey / GY Grey / BR Brown / TR Terracotta

Ventilated eaves bar/starter rail

Code	Size
ENVEB	L:600mm x W:48mm x H:12mm

ENV3MDV	3m dry verge L:3000mm

Colour options:
AG Anthracite Grey / BR Brown / TR Terracotta

ENVDVB	Dry verge bracket

Colour options:
AG Anthracite Grey / BR Brown / TR Terracotta

ENVIROTILE

Save money and time with this revolutionary, lightweight, interlocking roof tile system

Screw cover cap

Code	Pack qty	Size
ENVSCCL	25	Large
ENVSCCS	25	Small

Colour options:
AG Anthracite Black / GY Grey / BR Brown

PERFECT PARTNER

envirotile®

ENVABTSOA	Mechanical dry fix - abutment wall soaker L:3000mm

ENNVALLEY	Valley with water drainage channels L:3000mm

ENVMALEINS	Male to male ridge insert for double hip roofs

Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Black

ENVSRPA110	Square to round pipe adaptor 110mm

ENVFXCL	Flexitube and clips 112mm

PERFECT PARTNER

⫽FAKRO®

See page 88 for more details

Envirolay

EnvirolayFR®

Code	Size
ENVIROLAY	D x 130mm x L:25000mm

EnvirolayFR® must be used on all domestic dwellings, (standard roofing membrane can be used on a conservatory roof).

ENVTAPE	Duo plus tape D x 40mm x L:50M

Fixings - SS pozi pan self tapping screw

Code	Size	Qty
ENVSCREW90	90 x 6.3mm	50 pack
ENVSCREW32	32 x 4.2mm	50 pack

TAPCO**SLATE** *Classic*

SLATE...
BUT NOT AS YOU
KNOW IT!

RECYCLABLE

TapcoSlate Classic Coachman Mix Pictured

FEATURES & BENEFITS

40 YEAR WARRANTY
Incredible 40-Year Warranty!

Lightweight: as low as 12kg/M^2

Easily Cut & Shaped

Highly Impact Resistant

14°
Low 14° Pitch

Simple to Install

Whether you have a conservatory, modern house or a listed building, TapcoSlate Classic adds splendour, elegance and tradition to your home.

It is authentically shaped with textured surfaces and riven edges moulded from authentic slates that makes TapcoSlate Classic almost indistinguishable from natural slate – yet it has an even more refined appearance. TapcoSlate Classic will not crack, break or delaminate, and its product formulation and manufacturing processes provide durability, performance, and longevity for many years to come.

TapcoSlate Classic is tested above and beyond UK and European standards and has the certification and results from the best testing houses in UK and European construction, for your peace of mind:

BBA EOTA intertek bre warringtonfire

By providing a lightweight and easily-installed product, installation costs are lower, with less site waste!

804
Pewter Grey

706
Plum

801
Stone Black

712
Chestnut

809
Red Rock

709
Brick Red

814
Olive Green

790
Coachman Mix

Tapco slate roof tiles

Code	Pack qty	Size
SLATE	25	445 x 292mm

Colour Options:
BR Brick Red / BS Stone Black / CC Charcoal / CN Chestnut / GY Pewter Grey / OG Olive Green / PM Plum / RR Red Rock / COACH790 Coachman Mix

Tapco slate ridge/hip caps

Code	Pack qty	Size
RIDGE	1	440 x 160mm

Colour options:
790 Coachman Mix / BR Brick Red / BS Stone Black / CC Charcoal / CN Chestnut / OG Olive Green / PM Plum / PW Pewter / PWC Pewter Grey / RR Red Rock

End cap

Code	Pack qty
RIDGEEND25-29DEG**	
RIDGEEND30-34DEG**	1
RIDGEEND35-40DEG**	

Colour options:
(*PG) Pewter Grey / (*SB) Black / (*CB) Chestnut Brown / (*PL) Plum (*RR) Red Rock / (*BR) Brick Red

Angle ridge to hip junction

Code	Pack qty
RIDGEHIP14-17DEG**	
RIDGEHIP18-23DEG**	1
RIDGEHIP24-30DEG**	

Colour options:
(*PG) Pewter Grey / (*SB) Black / (*CB) Chestnut Brown / (*PL) Plum (*RR) Red Rock / (*BR) Brick Red

COMPOSITE ROOF TILES - TAPCO

Soaker cowl vent 10k airflow (15 to 90 degrees)

Code	Pack qty
G3801COVENTBLK	1
G3804COVENTPWT	1
G3712COVENTCHE	1
G3809VENTRR	1
G3706VENTPL	1
G3709VENTBR	1

Inline vent 10k airflow (20 to 90 degrees)

Code	Pack qty
GV11712INVENTCHE	1
GV11801INVENTBLK	1
GV11804INVENTPWT	1
INVENTGV11406PL	1
INVENTGV11809RR	1
INVENTGV709BR	1

Abutment ventilator (1m length - min. pitch 15 degrees)

Code	Pack qty
OB56TABV	1

Slate verge

Code	Pack qty
VERGEBS	1

RidgeMaster plus 11" ridge ventilation system

Code	Pack qty
71100002	10

HipMaster 11" hip ventilation system

Code	Pack qty
71111002	10

Rafter roll ventilator 450mm x 6m

Code	Pack qty
TRRV6M	1

Inline vent pipe adaptor

Code	Pack qty
GV110000PIPE	1

Soaker cowl vent pipe adaptor

Code	Pack qty
GV110	1

Dry verge jointing clips

Code	Pack qty
CO2PJBL	1

SEAC Multipurpose Screws

Code	Size	Pack qty
MP5030	5.0 x 30mm	200
MP5050	5.0 x 50mm	200
MP5080	5.0 x 80mm	200

GET A TRADE ACCOUNT TODAY
ASK IN BRANCH FOR MORE DETAILS

OVER 6000 PRODUCTS AVAILABLE IN-BRANCH

210+ BRANCHES NATIONWIDE

INSTANT TRADE CREDIT AVAILABLE

DEDICATED ACCOUNT MANAGER

EXCLUSIVE TRADE ACCOUNT PRICING

ONLINE TRADE ACCOUNT

GRP SHEET ROOF TILES

slateskin®

The leading **GRP sheet roof tile system** from our Equinox conservatory roof system, which gives a traditional slate-effect in half the time is now available as a stand-alone product suitable for a range of domestic applications.

AUTHENTIC
SLATE LOOKS

SHEET
ROOF TILES

Tile sheet

Code	Pack qty
ERS 1340GY2-2M	2m
ERS 1340GY2-4M	4m
ERS 1340GY2-6M	6m

Ridge gable end cap

Code
ERS 1338GY2-FG

Victorian hip end cap

Code
ERS 1329GY2-FG

Edwardian hip end cap

Code
ERS 1325GY2-FG

Ridge/hip length cap (6m)

Code
ERS 1321GY2-FG

Victorian 5-way ridge top cap

Code
ERS 1326GY2

Also available in:
15˚ (ERS 1334GY2) / 20˚ (ERS 1335GY2)
30˚ (ERS 1336GY2) / 35˚ (ERS 1337GY2)

Edwardian 3-way ridge top cap

Code	Size
ERS 1322GY2	25º

Also available in:
15˚ (ERS 1330GY2) / 20˚ (ERS 1331GY2)
30˚ (ERS 1332GY2) / 35˚ (ERS 1333GY2)

slateskin®

A GREAT LOOKING SLATE-EFFECT ROOF IN 50% LESS TIME

WHY CHOOSE SLATESKIN?

Slateskin - a sheet tiling system that allows you to fit a realistic slate-effect, water-resistant system to Equinox roofs in around 50% less time compared to authentic conservatory tiling methods.

Up to 50% faster to install than traditional tiling methods

Saves you time and money!

Easy-fit sheet system

5° PITCH
Only tile system tested to achieve 5° pitch

Tough and hard-wearing

Precision-engineered for enhanced performance

25 YEAR
25-year guarantee for peace of mind

---

equinox® | envirotile®

the perfect combination.

envirotile®

Envirotile now works perfectly with our Equinox solid tile warm roof solution making it not just quicker but easier to fit.

Less tiles required per sqm for a quicker install

Lightweight & easy to install

Interlocking fitting system

equinox®

Easy and quick installation in 2 days*
* Water tight on day one

0.15
U-values as low as 0.15

LABC/LABSS certified

GET A SOLID ROOF QUOTE IN UNDER AN HOUR

AND DELIVERED TO YOU IN JUST 7 DAYS

STEEL ROOF TILES - METROTILE

GUARANTEED 40 YEARS

Conditions apply.

THE LIGHTWEIGHT STEEL ROOF TILE

Can be installed to a minimum 15° pitch

Unique 'hidden fix' system - no nails exposed

Lightweight, light and easy to handle and install

Durable, colour stability and protects against UV light

Stable, resistance to extreme weather

Strong, exceptional strength and resistant to damage

Fire proof, Conforms with the European standards

metrotile
LIGHTWEIGHT ROOFING

Metrotile is the leading supplier of lightweight roofing systems, pressed from the highest quality steel and providing a durable solution to all of your roofing needs. From small conservatories to large-scale new build projects, Metrotile has you covered.

- Lightweight roofing is easy to manoeuvre
- Improved insulation to the residential or commercial premises
- Rigorously tested to withstand harsh weather conditions and vandalism
- Highest possible external fire resistance rating
- 40 Year weatherproof guarantee
- Stunning aesthetics
- Expert technical support on hand

STEEL ROOF TILES COLOURS AVAILABILITY

CHARCOAL	MOSS GREEN
ANTIQUE RED	EBONY
BURNT UMBER	

5 DAYS

SPECIAL ORDER DELIVERED IN 5 DAYS

Metrotile shingle

Code	Size	Description
ERS1301	1335x300mm	METROTILE SHINGLE

Colour options:
CA Charcoal / AR Antique Red / BU Burnt Umber / MG Moss Green / EB Ebony

Metrotile angle ridge veranda

Code	Colour	Pack qty
ARV	AR/BU/CA/EB	1

Metrotile end cap hip 135

Code	Colour	Pack qty
ECH135	AR/BU/CA/EB	1

Metrotile end cap hip veranda

Code	Colour	Pack qty
ECHARV	AR/BU/CA/EB	1

Metrotile end cap ridge veranda

Code	Colour	Pack qty
ECR	AR/BU/CA/EB	1

Metrotile delta ridge

Code	Colour	Pack qty
ERS1302	AR/BU/CA/EB/MG	1

Metrotile 5-way junction

Code	Colour	Pack qty
ERS1304	AR/BU/CA/EB/MG	1

Metrotile 2pc non-handed barge

Code	Colour	Pack qty
ERS1307	AR/BU/CA/EB/MG	1

Metrotile touch up kit

Code	Colour	Pack qty
ERS1308	AR/BU/CA/EB/MG	1

STEEL ROOF TILES - METROTILE

Metrotile ridge end cap

Code	Colour	Pack qty
ERS1305	AR/BU/CA/EB/MG	1

Metrotile 90 deg hip end cap

Code	Colour	Pack qty
ERS1306	AR/BU/CA/EB/MG	1

Metrotile 135 hip end cap

Code	Colour	Pack qty
ERS1310	AR/BU/CA/EB/MG	1

Metrotile 5 way adaptor veranda

Code	Colour	Pack qty
Y5ARV	Antique Red	1
Y5BUV	Burnt Umber	1
Y5CV	Charcoal	1
Y5EV	Ebony	1

Metrotile y-junction veranda 25 deg

Code	Colour	Pack qty
YAR25V	Antique Red	1
YBUV25	Burnt Umber	1
YC25V	Charcoal	1
YE25V	Ebony	1

Metrotile y-junction

Code	Colour	Pack qty
ERS1303	AR/BU/CA/EB/MG	1

Metrotile woodshake

Code	Colour	Pack qty
ERS1311	Antique Red/ Bronze/Charcoal	1

Hip / Ridge Vent Strip (600mm)

Code	Qty
METROHIPVENT	1

Metrotile valley lining 2.2m x 200mm

Code	Pack qty
ERS1309	1

CORRUGATED ROOF SHEET - ONDULINE

SPECIAL ORDER DELIVERED IN 7 DAYS

GUARANTEED 15 YEARS

Conditions apply.

MARKET LEADING LIGHTWEIGHT ECO-FRIENDLY ROOFING SHEETS

The original bituminous roof sheet for renovating the roofs of a versatile mix of applications from garden sheds, pergolas, summer houses and workshops.

Lightweight

Eco-Friendly

Available in a choice of colours

Easy to install

Extremely tough bituminous corrugated roof sheets. Made from 50%-60% recycled materials and suitable for renovations and new build DIY, agricultural and commercial roofing projects.

- BBA certified
- Guaranteed waterproofing: 15 years
- Virtually maintenance free
- Eco-friendly: Very low carbon footprint
- Fast and easy to install: no specialist tooling required
- Proven to withstand strong winds
- Noise reducing material

Onduline®
Lightweight roofing systems

CORRUGATED ROOF SHEET COLOURS AVAILABILITY

BLACK

RED

GREY

GREEN

BROWN

Onduline classic and clear sheeting
2000 x 950 x 3mm

Code	Size	Corrugations	Colours available	Corrugation height	Weight per m²	Weight per sheet
ONDLNE	L:2000mm x W:950mm x D:3mm	10	BK Black / GN Green / GY Grey / RD Red / BR Brown	38mm	3.4kg/m²	6.4kg/m²
BITCLEAR	L:2000mm x W:950mm x D:1.2mm	10	Translucent/Transparent	38mm	1.89kg/m²	3.6kg/m²

Gable Slim Verge Angles

Code	Pack qty	Size
ONDSLVRG	1	1000 x 130mm

Colour options:
BK Black / GN Green / GY Grey

Ridge capping

Code	Pack qty	Size
ONDRDG	1	1000 x 420mm

Colour options:
BK Black / GN Green / BR Brown / GY Grey

Fixing nails

100 pack **400** pack

Code	Size
BN100	18mm head x 65mm

Colour options:
BK Black / GN Green / GY Grey / RD Red / BR Brown

Code	Size
BN400	18mm head x 65mm

Colour options:
BK Black / GN Green / RD Red / BR Brown

Fixing screws

100 pack

Code	Size
USS100	65mm length

Colour options:
BK Black / GN Green / GY Grey

DRY VERGE

Our Verge U is truly universal in that the units can be used on the left and right side of the verge, and they are fully compatible with most tile types. The unique design combines fast, simple installation with exceptional holding qualities. A tight secure fit is easily achieved ensuring roof tiles are held firmly in place and not vulnerable to wind dislodgement.

- Neatens roof edges

- An attractive weather and pest-proof finishing touch to any roof

- Can be retro-fitted to existing buildings to tidy roof edges

- The simple, secure clip fixing system makes it easy to install and avoids the problem of wind uplift

- Meets the mechanical fixing requirements of BS 5534

- None-handed units – can be used on both the left and right verge

- Unique design to create a completely sealed verge preventing water ingress and insect/bat infestation

- Manufactured from Polypropylene for excellent flexibility and UV stability.

DRY VERGE

Easyverge half round ridge cap C/W flapcap

Code	Colours
HRRIDGECAPBLK	Black
HRRIDGECAPBRN	Brown
HRRIDGECAPGRY	Grey
HRRIDGECAPTER	Terracotta

Easyverge angled ridge cap C/W flapcap

Code	Colours
ARIDGECAPBLK	Black
ARIDGECAPBRN	Brown
ARIDGECAPGRY	Grey
ARIDGECAPTER	Terracotta

Easyverge U universal verge system

Code	Colours
UNIVERGEBLK	Black
UNIVERGEBRN	Brown
UNIVERGEGRY	Grey
UNIVERGETER	Terracotta

Easyverge starter & end cap

Code	Colours	Qty
VERGEPACKBLK	Black	2 Pack
VERGEPACKBRN	Brown	2 Pack
VERGEPACKGRY	Grey	2 Pack
VERGEPACKTER	Terracotta	2 Pack

Continuous dry verge end cap

Code	Colours
CDVENDBLK	Black
CDVENDBRN	Brown
CDVENDWHT	White

Slate dry verge continuous

5m lengths

Code	Colours
SLATEDVCONTBLK	Black

R type continuous dry verge

5m lengths

Code	Colours
RTYPECONTBLK5M	Black
RTYPECONTBRN5M	Brown
RTYPECONTWHT5M	White

Continuous dry verge connector

Code	Colours
CDVCONBLK	Black
CDVCONBRN	Brown
CDVCONWHT	White

DRY RIDGE

EasyRidge F Dryfix Ridge Kit 6m

Code
EASYRIDGEF6BLK

Easyridge F plus dryfix ridge kit 6m

Code	Colour
EASYRIDGEFBLK	Black
EASYRIDGEFGRY	Grey

THE COST EFFECTIVE SOLUTION FOR YOUR EAVES LEVEL VENTILATION REQUIREMENTS

Our 3-in-1 eaves ventilation kit includes everything you need to provide 6 metres of eaves ventilation

Easyridge F hip accessory kit 6m

Code
EASYRIDGE/HIPKIT

3-in-1 Eaves Vent Kit

New

Code
ETEV/3IN1VENTPAK

DRY VALLEY & BONDING STRIP

THE COST-EFFECTIVE ALTERNATIVE TO LEAD GUTTERS. V-FLOW VALLEY TROUGHS CAN BE USED WITH CLAY OR CONCRETE TILES OR SLATE ROOFS, AS WELL AS PROFILED GRP OR METAL ROOFS. OPTIONS ARE AVAILABLE FOR WET OR DRY FIXING (WITH OR WITHOUT MORTAR).

Life expectancy of over 30 years	Virtually maintenance-free
Convincing simulation of traditional lead	Manufacture assured to BS EN ISO 9001
Light and easy to transport, handle and install	BBA Certification (No 18/5546)

7 DAYS

SPECIAL ORDER DELIVERED IN 7 DAYS

CROMAR
Building Products

GRP VALLEY TROUGHS

Standard valley trough
(Double lap) slate/tiles

Code	Size	Pack qty
GSVT1	W:330mm x L:3m	10

Narrow valley trough
(Single lap tile) over batten fix

Code	Size	Pack qty
GTB13	W:360mm x L:3m	10

Standard valley trough
(Single lap tile) over batten

Code	Size	Pack qty
GTB14	W:400mm x L:3m	10

Standard valley trough
(Slate or tile) under batten

Code	Size	Pack qty
GTF14	W:400mm x L:3m	10

GJS1 — Secret joint strip (Bonded in channel) W:216mm x L:3m — **10** pack qty

GAS1 — Abutment soaker W:140mm x L:3m — **10** pack qty

GDFBS110 — Dry fix bonding strip (Concrete/Clay tile) W:225mm x L:3m — **10** pack qty

GDFBS70 — Dry fix bonding strip - use with natural/slate man made W:225mm x L:3m — **10** pack qty

GDFCD110 — 90º top closure - use with GDFVT110 — **10** pack qty

GFVTCS110 — Eaves closure piece - for GDFVT110 — **10** pack qty

GDFVT110 — Dry fix valley trough - (Concrete/Clay tile) W:400mm x L:3m — **10** pack qty

GDFVT70 — Dry fix valley trough - (Natural/Man made slate) W:400mm x L:3m — **10** pack qty

GDFVTCD70 — 90º top closure use with GDFVT70 — **10** pack qty

PRO DRY VALLEY & PRO BONDING STRIPS

Pro valley bonding strip

Code	Size	Pack qty
GDFBSUB10	D:100mm x W:225mm x L:3m	10
GDFBSUB70	D:70mm x W:225mm x L:3m	10

Pro valley

Code	Size	Pack qty
GDFVTUB10	D:105mm x W:400mm x L:3m	10
GDFVTUB55	D:55mm x W:400mm x L:3m	10
GDFVTUB80	D:80mm x W:400mm x L:3m	10

FLASHING

CONTENTS

FLASHING IS AN *IMPERVIOUS* MATERIAL INSTALLED TO WEATHERPROOF AREAS OF A STRUCTURE.

For roofing applications, lead is traditionally used, but we also offer lead free alternatives, which are suitable for rainwater harvesting.

- **Midland Lead** - Eurocell offer an extended range of Lead Flashing from Midland Lead, with Code 3 – Code 8 available either in branch or to order. Lead can be used on various applications including Flat roofs, dormer, chimney flashing, cover flashing, lead valleys and soakers.

- **Bostik Flashband** Self Adhesive Flashing Tape for Roofs is a flexible bitumen strip that bonds instantly to most building materials to provide a permanent, watertight seal.

- **Easy Trim Lead-R** - BBA approved Easy Lead R and Easy Lead R Smooth are aluminium based, high performance, low cost flashing products. They are used as a replacement for traditional lead in flat and pitched roof applications.

- **Cromar Leadax** - Leadax is the first lead alternative in the World with the same properties as Traditional Lead. Leadax is not harmful to health or the environment. A second-generation lead alternative which is not only easier to use but also easier on your pocket.

Midland Lead

Bostik Flashband

Easy Trim Lead-R

Cromar Leadax

LEAD FLASHING & ROOFING LEAD

Lead remains the material of choice for roofing, weatherproofing, radiation protection and soundproofing.

• Malleable but durable and typically lasts over 100 years

• Sustainable and environmental friendly

• 100% recyclable

• Cost effective, practical and stylish

• Easy to use

• Adaptable and fit-for-purpose

• Available in codes and sizes to suit you

What Lead code you need for your next project

If you want to know what lead code to use and where, use our handy guide…

LEAD DETAILING	CODE 3 1.32mm	CODE 4 1.80mm	CODE 5 2.24mm	CODE 6 2.65mm	CODE 7 3.15mm	CODE 8 3.55mm
Flat roof	x	x	•	•	•	•
Dormer	x	x	•	•	•	x
Chimney flashing	x	•	•	•	x	x
Lead valley	x	•	•	•	•	x
Cover flashing	x	•	•	•	x	x
Soakers	•	•	x	x	x	x

Eurocell stock various Code 3 Lead roll sizes, with an extended range Code 4-8 available to order

CODE 3 Thickness (mm): 1.32   Weight (kg/m^2): 15.0
Uses: Lead soakers

CODE 4 Thickness (mm): 1.80   Weight (kg/m^2): 20.4
Uses: Soakers, flashings, vertical cladding, hip and ridge flashing, chimney flashing, apron and cover flashings, pitched valley gutters, bay tops and canopies, vertical cladding

CODE 5 Thickness (mm): 2.24   Weight (kg/m^2): 25.4
Uses: Flat roofing, pitched roofs, flashing, vertical cladding, hip and ridge flashing, dormers, parapet, box and tapered valley gutters, bay tops and canopies, chimney flashing, apron and cover flashings, pitched valley gutters, vertical cladding

CODE 6 Thickness (mm): 2.65   Weight (kg/m^2): 30.1
Uses: Flat roofing, pitched roofs, hip and ridge flashing, dormers, parapet, box and tapered valley gutters, chimney flashing, apron and cover flashings, pitched valley gutters, bay tops and canopies, vertical cladding

CODE 7 Thickness (mm): 3.15   Weight (kg/m^2): 35.7
Uses: Flat roofing, pitched roofs, dormers, parapet, box and tapered valley gutters, pitched valley gutters, bay tops and canopies, vertical cladding

CODE 8 Thickness (mm): 3.55   Weight (kg/m^2): 40.3
Uses: Flat roofing, pitched roofs, parapet, box and tapered valley gutters, bay tops and canopies.

Real Lead Sheet

- BBA, NHBC & EPD Approved
- Made from 100% recycled, circular raw materials
- UK Manufactured
- Full range of thicknesses for all applications of leadwork

ASK IN BRANCH FOR THE LATEST LEAD PRICE

MACHINE CAST LEAD

Code 3 (1.32mm) to Code 8 (3.55mm)
Standard lengths 3m & 6m
Standard widths 150mm - 1400mm
Supported by a range of ancillary products

Eurocell stock various Code 3 Lead roll sizes, with an extended range Code 4-8 available to order

Patination Oil

Code	Size
PO1	500ml

Pack qty 1

Code 3	Code 4	Size
ML3150/3	ML4150/3	150mm x 3m
ML3180/3	ML4180/3	180mm x 3m
ML3210/3	ML4210/3	210mm x 3m
ML3240/3	ML4240/3	240mm x 3m
ML3240/6	ML4240/6	240mm x 6m
ML3300/3	ML4300/3	300mm x 3m
ML3330/3	ML4330/3	330mm x 3m
ML3360/3	ML4360/3	360mm x 3m
ML3390/3	ML4390/3	390mm x 3m
ML3420/3	ML4420/3	420mm x 3m
ML3450/3	ML4450/3	450mm x 3m
ML3150/6	ML4150/6	150mm x 6m
ML3180/6	ML4180/6	180mm x 6m
ML3210/6	ML4210/6	210mm x 6m
ML3240/4	ML4240/4	240mm x 4m
ML3270/3	ML4270/3	270mm x 3m
ML3300/6	ML4300/6	300mm x 6m
ML3330/6	ML4330/6	330mm x 6m

Code 3	Code 4	Size
ML3360/6	ML4360/6	360mm x 6m
ML3390/6	ML4390/6	390mm x 6m
ML3420/6	ML4420/6	420mm x 6m
ML3450/6	ML4450/6	450mm x 6m
ML3480/3	ML4480/3	480mm x 3m
ML3510/3	ML4510/3	510mm x 3m
ML3540/3	ML4540/3	540mm x 3m
ML3570/3	ML4570/3	570mm x 3m
ML3600/3	ML4600/3	600mm x 3m
ML3750/3	ML4750/3	750mm x 3m
ML3800/3	ML4800/3	800mm x 3m
ML3900/6	ML4900/6	900mm x 6m
ML31000/6	ML41000/6	1000mm x 6m
ML31350/3	ML41350/3	1350mm x 3m
ML31400/3	ML41400/3	1400mm x 3m
ML3480/6	ML4480/6	480mm x 6m
ML3510/6	ML4510/6	510mm x 6m
ML3540/6	ML4540/6	540mm x 6m
ML3570/6	ML4570/6	570mm x 6m
ML3600/6	ML4600/6	600mm x 6m
ML3750/6	ML4750/6	750mm x 6m
ML3900/3	ML4900/3	900mm x 3m
ML31000/3	ML41000/3	1000mm x 3m
ML31200/3	ML41200/3	1200mm x 3m
ML31350/6	ML41350/6	1350mm x 6m
ML31400/6	ML41400/6	1400mm x 6m

MARKET EXPERTS IN LEAD PRODUCTION AND SUPPLY

Midland Lead Ltd, Kiln Way, Woodville, Swadlincote Derbyshire DE11 8ED

t: +44 (0)1283 224 555
e: sales@midlandlead.co.uk

PROUD TO BE A SUPPLY PARTNER OF

eurocell®

All together better

MADE IN THE UK

100% RECYCLED

PREMIUM CAST LEAD
60 YEAR GUARANTEE

FULL RANGE OF THICKNESSES FOR ALL APPLICATIONS OF LEADWORK

PATINATION OIL

Patination oil prevents the unsightly white carbonate staining of lead, tiles and brickwork that can occur when lead work is left untreated. Available in 125ml, 500ml & 1 litre bottles.

FIXING CLIPS

Fixing clips are a fast and efficient way to fix lead sheet into a joint. Available in packs of 20 & 50 clips.

MULTISLATES

A lead and rubber universal weathering slate - code 4 lead base - can be dressed to any tile shape and will accept pipes from 25 mm to 150 mm in diameter. Our multislates can be used on both flat & pitched roofs.

LEAD ALTERNATIVE FLASHING

WHAT YOU NEED TO KNOW

• Roof flashings could be used to replace traditional lead

• Easily cut with sharp scissors or a knife

• At least half the installation time of traditional lead

• No re-sale value that not prone to theft

• Self-adhesive lead flashings available

• Easy to install, easy to handle, and easy on the wallet

GET A TRADE ACCOUNT TODAY
ASK IN BRANCH FOR MORE DETAILS

OVER 6000 PRODUCTS AVAILABLE IN-BRANCH

210+ BRANCHES NATIONWIDE

INSTANT TRADE CREDIT AVAILABLE

DEDICATED ACCOUNT MANAGER

EXCLUSIVE TRADE ACCOUNT PRICING

ONLINE TRADE ACCOUNT

BOSTIK FLASHBAND SELF-ADHESIVE FLASHING TAPE

Bostik Flashband Self Adhesive Flashing Tape for Roofs is a flexible bitumen strip that bonds instantly to most building materials to provide a permanent, watertight seal.

Instant watertight seal

Quick and easy application

For new build or emergency repairs

GREY

LEAD ALTERNATIVE – FLASHBAND

Flashband is easily applied using just hand pressure and a seam roller and is ideal for new build, maintenance and repair projects, including:

Roofing

- Replace damaged lead flashing
- Seal upstands and eve pieces
- Roof capping
- Edge flashing on roofing felt
- Repair roofing felt or joints on flat roofs

Drainage

- Seal or repair valley gutters, guttering and down pipes

Flashband has four layers of protection, meaning it's both tear and impact resistant and can withstand extreme temperatures of up to 100°C.

Four Layers of Protection

- Lacquer coating
- Heavy duty aluminium foil
- Tear resistant polyester membrane
- Polymer enhanced bitumen adhesive

Bostik Flashband

Code	Size	Colour
BTKFB10X100	100mm x 10m	Grey
BTKFB10X150	150mm x 10m	Grey
BTKFB10X225	225mm x 10m	Grey

THE SUSTAINABLE, COST-EFFECTIVE ALTERNATIVE TO LEAD

Zero re-sale value - theft and vandalism are eliminated

Cost effective alternative to traditional lead

Easily cut

Durable

Malleable

Easy to install

Easily cut

easy-trim Lead R

GY GREY

LEAD ALTERNATIVE - EASY LEAD R

BBA approved Easy Lead R and Easy Lead R Smooth are aluminium based, high performance, low cost flashing products. They are used as a replacement for traditional lead in flat and pitched roof applications.

Made of sheet aluminium with a protective anti-corrosion coating and a high-performance butyl adhesive on the underside. Installation is simple, with no special tools required it can be cut with a knife or scissors.

Easy Lead R has a unique corrugated pattern, so it is easy to form and to adapt to various surfaces; this malleability ensures the permanent water tightness of the product and an attractive appearance every time.

Easy Lead R Smooth has the same benefits and characteristics of Easy Lead R, only with a smooth finish thus effectively mimicking the appearance of traditional lead. Easy Lead R provides a permanent bond to brickwork, roof tiles and most popular construction materials.

Lead-free flashing rolls

Code	Size	Description
LEAD-R150SG	150mm x 5m	EasyLead R Smooth
LEAD-R300SG	300mm x 5m	EasyLead R Smooth
LEAD-R450SG	450mm x 5m	EasyLead R Smooth
LEAD-R600SG	600mm x 5m	EasyLead R Smooth
LEAD-R150CG	150mm x 5m	EasyLead R Textured
LEAD-R300CG	300mm x 5m	EasyLead R Textured
LEAD-R450CG	450mm x 5m	EasyLead R Textured
LEAD-R600CG	600mm x 5m	EasyLead R Textured

SMOOTH FINISH

Typical application

- Abutments
- Chimneys
- Dormers
- Saddles
- Soakers
- Stepped
- Valleys
- Windows and rooflights
- Valleys and gutters

TEXTURED FINISH

ELIMINATE THEFT
ZERO RESALE VALUE

LEAD-FREE FLASHING

LEAD ALTERNATIVE TO CODE 5 LEAD

Leadax is the first lead alternative in the World with the same properties as Traditional Lead

A non-toxic and sustainable product

Light weight

Longer roll lengths

Circular material

LEAD ALTERNATIVE - LEADAX

Leadax is the first lead alternative in the World with the same properties as Traditional Lead. Leadax is not harmful to health or the environment. A second-generation lead alternative which is not only easier to use but also easier on your pocket.

Features and benefits:

Cheaper - Leadax is cheaper to buy than traditional lead, and because Leadax is also faster to install, this leads to lower installation costs.

A non-toxic and sustainable product - Unlike traditional water-resistant materials, Leadax does not contain any heavy metals.

Circular material - The basic raw material is recycled PVB. PVB is the foil that is used in laminated glass (e.g. car windows or safety glass).

Light weight - Leadax is lighter than lead and therefore easier to use.

Longer roll lengths - Leadax is available in longer strips. So you can seal larger areas with less overlap, saving you materials and time.

Finish - Leadax comes in lead grey as standard. However, the product is also available in black, roof tile red and different colours are available, such as copper at an extended lead-time.

Durable - Leadax has the same natural look as traditional sheet lead, however it leaves no staining on roof tiles or masonry. The life expectancy is at least 20 years.

Certified - Leadax has been certified by BBA & KIWA.

GREY

LEAD ALTERNATIVE - LEADAX

Leadax
6m roll

Code	Size	Pack qty	Colour
KLD/150/GY	150mm x 6m	1	Lead Grey
KLD/200/GY	200mm x 6m	1	Lead Grey
KLD/250/GY	250mm x 6m	1	Lead Grey
KLD/300/GY	300mm x 6m	1	Lead Grey

Code	Size	Pack qty	Colour
KLD/400/GY	400mm x 6m	1	Lead Grey
KLD/450/GY	450mm x 6m	1	Lead Grey
KLD/600/GY	600mm x 6m	1	Lead Grey
KLD/1000/GY	1000mm x 6m	1	Lead Grey

KLAD/ROLLER — Leadax roller

KLAD/SCISSORS — Leadax scissors

KLD/CLIP — Lead fixing clip
50 par bag

50 pack qty

M/LEADAX — Leadax fixing sealant

KLAD/PENNYROLLER — Leadax penny roller

FEATURES & BENEFITS

Malleable, durable, waterproof and lightweight

Zero resale value, eliminating theft and vandalism

20 YEARS + 20 years+ life expectancy

Requires no additional sealants or tape

High performance adhesive for a permanent bond

Resistant against corrosion and UV degradation

Smooth or textured finish

No special tools required - simply cut with a knife or scissors

FLAT ROOFING

CONTENTS

- **Firestone Rubber Cover™ EPDM** Flat roofing membranes for residential use.

- **Ultra Flex Liquid Flat Roof Waterproofing** is a single component liquid that cures through moisture contact and therefore is used directly from the container with no requirement for additional additives.

- **Cromar PRO GRP** is the professional choice for glass fibre flat roofing. Cold-applied and with high impact and fire resistance, it provides a seamless, highly durable, flexible and virtually maintenance-free finish for almost any flat roof surface. Pro GRP is available in component form.

- **HPX** TriRoof HPX is the ultimate Roofing Overlay System, designed to work all year round from the colder, wetter months and throughout the heat of the summer. TriRoof HPX can be applied effortlessly on nearly any surface and even on wet or damp substrates, meaning you don't have to plan your work around the weather.

- **Acrypol +** is The original instant waterproof solution for emergency leaks & failing flat roofs.

PERFECT PARTNER

Tongue & Groove OSB3

SKYPOD ROOF LANTERN WITH CROMAR PRO GRP GLASS FIBRE FLAT ROOFING SYSTEM

FLAT ROOFING - RUBBER

FIRESTONE RUBBERCOVER™ EPDM FLAT ROOFING MEMBRANE FOR RESIDENTIAL USE.

Watertight & durable roofing solution

Excellent resistance to ageing (UV and ozone)

Excellent flexibility at low temperatures (-45°C)

Large dimension membranes significantly decrease installation time

Compatible with green roofing systems and photovoltaics

Repaired/extended easily during service-life

Successfully installed worldwide – from the arctic conditions of Siberia to the blistering heat of the Middle East, Firestone EPDM membranes ensure the water-tightness of tens of thousands of buildings.

Key Features & Benefits

- Watertight & durable roofing solution

- Excellent resistance to ageing (UV and ozone)

- High elasticity (>300% elongation)

- Excellent flexibility at low temperatures (-45°C)

- High puncture resistance

- Membrane and seams display high resistance to hydrostatic pressure

- Fire resistance to external sources (Low-Slope-Fire-Retardant EPDM)

- Inert (no solvents or plasticizers). The membrane composition remains constant over time

- Compatible with the collection of rainwater

- Resistant to micro-organisms

- Large dimension membranes significantly decrease installation time

- Reduced environmental impact compared to other waterproof membranes and in line with ecological requirements

- Compatible with green roofing systems and photovoltaics

- Easy installation and can be repaired/extended easily during service-life

Firestone rubber membrane

Code	Description	Size
RCR3MSQM	Rubbercover EPDM Roll 3.05x30.5m	3.05 x 30.5m
RCR45MSQM	Rubbercover EPDM ROLL 4.57 X 30.5m	4.57 x 30.5m
RCR6MSQM	Rubbercover EPDM Roll 6.1x30.5m	6.1 x 30.5m

Firestone contact spray
For bonding rubber to substrate

Code	Size
RCSPRAY	750ml

Water Based Adhesive

Code	Size
RCWBA10F	10l
RCWBA5F	5l
RCWBA25F	2.5l

Contact Bonding Adhesive - in green

Code	Size
RCCBA5F	5l
RCCBA10F	10l
RCCBA25F	2.5l

Quickprime Plus
For bonding rubber to rubber

Code	Size
RCQP1	1l

Firestone EasySealant

Code	Size
RCES290	290ml

Eurocell Contact Adhesive

Code	Size
RCBA10	10l
RCBA2.5	2.5l
RCBA5	5l

FLAT ROOFING - RUBBER

Trims & flashing

Code	Description	Size
RCULTRACURB	Ultratrim Curb Edge Profile 65mm x 3.5m	65mm x 3.5m
RCULTRAGUTT	Ultratrim Gutter Edge 65mm x 2.5m	65mm x 2.5m
RCULTRACOR	Ultratrim Corner Endcap (Large)	N/A
RCULTRAEND	Ultratrim Trim Endcap (Small)	N/A
RCULTRACLIP	Ultratrim Joint Clips	N/A
RCWALL	Wall Flashing 70mm x 3m	70mm x 3m

Quickscrubbers

Code	Description
RCQSH	Quickscrubber Handles
RCQTSP	Quickscrubber Pads

Ultratrim external corner

Code	Description
RCULTRAEXT	Ultratrim External Corner

Ultratrim internal corner

Code	Description
RCULTRAINT	Ultratrim Internal Corner

Moulded pipe flashings

Code	Description
RCQSPB	Moulded Pipe Flashings

Batten cover strip

Code	Size
RCQSBCSRM	152mm x 30.5m

Formflash roll

Code	Size
RCFFLASROLL	229mm x 15.25m

Quickseam corner flashing

Code	Description
RCQSCF	Corner Flashing

ELEVATE

get ahead with...

Firestone RubberCover™
Roofing Made Easy

+ flat roof edge trims from... **UltraTrim™**

Authorised RubberCover™ Training Program...

- Formally recognised certificate
- Authorised installer recognition
- Enhanced support
- Extended warranties

Standard warranty = 10 years   Extended warranty = 20 years

Authorised Training is available for a small charge, please ask for further details

© **ebp building products**

FLAT ROOFING - RUBBERGUTTER

RubberGutter EPDM SA is a self adhered, synthetic EPDM rubber waterproofing membrane especially conceived to give gutters a second, very long service life.

Refurbish a wide range of commercial & residential guttering profiles with highly durable & easy to apply Firestone RubberGutter, providing a water-tight gutter lining & extending the life-span of gutters while saving on expensive removal & replacement costs that a typical gutter removal project may otherwise incur.

Suitable for a wide range of gutter types including; Valley, Finlock, Box, Metal, Wood & Concrete Gutters.

Firestone RubberGutter

Code	Description	Size
RCG150	EPDM SA Membrane	20m x 1.5m x 1.30mm thick

Firestone EPDM Prefabricated Drain Insert

Code	Size
RCPDRAIN75	75mm diameter
RCPDRAIN110	110mm diameter

Firestone Batten Bar

Code	Size
RCTERMBAR	3m Length

Firestone EasySealant

Code	Size
RCES290	290ml

Firestone Cleaner C-20

Code	Size
RCAC500	500ml Spray Can

Firestone QuickPrime Plus Primer

Code	Size
RCQP1	1 litre Can

Silicone Rubber Roller

Code
RCSRR

SILICONES & PU FOAM

POWER PRO SEALANT GUN

- Heavy duty gun with extra pull trigger, hook end and swivel action barrel for both
- 310ml and 400ml cartridges

Code SGPOWER

DESIGN FOAM GUN

- Heavy duty metal foam gun
- Professional quality

Code PFGUN

RETRACTABLE KNIFE

Code STA210122

10 BLADES CARDED

Code STA211921

GLAZING SHOVEL

Allows controlled vertical lift for wedging and 'heel and toe' on double glazed units

Code GLSHOVEL

6-IN-1 DECORATOR'S TOOL

Code ELDECT6IN1

TRADE ESSENTIALS GASKET SHEARS

- 45° faces
- Cuts neatly through rubber gaskets and small PVC-U trims
- Slices cleanly through plastic, rubber and wood up to 15mm thick

Code ELGASKSH

SILICONES & PU FOAM

SILIRUB 2

Colours available:
White, Clear and a range of Colours

| Code | SILI2 |

300ml

SILIRUB LMN

Colours available:
White, Clear and a range of Colours

| Code | SILILMN |

300ml

SILIRUB N

| Code | SILI2RUBN |

300ml

SOUDALEAD LEAD SEALANT

| Code | SLEADPB |

300ml

PVCU GAP FILLER

| Code | GAPFILLER |

300ml

PROFESSIONAL COX GUN

| Code | PPCOX400 |

SOUDAL WINDOW & DOOR XTRA

750ml

| Code | SOUDAFOAMXTRA |

SOUDAFOAM GUN PU FOAM

750ml

| Code | SGF750 |

PROFESSIONAL PU FOAM GUN

| Code | PFREDGUN |

FIX ALL IS A RANGE OF ALL-ROUNDER SEALANTS AND ADHESIVES, SUITABLE FOR A WIDE VARIETY OF APPLICATIONS – NO PRIMER REQUIRED!

FIX ALL CRYSTAL

- 100% crystal clear
- Ideal for kitchens, bathrooms and flooring

CL Clear

| Code | FIXALLCRYSTAL | 290ml |

FIX ALL FLEXI

- High elasticity and strength

WH White

| Code | FIXALLCLASSIC | 290ml |

FIX ALL HIGH TACK

- Super strong
- 320kg/10cm^2
- Ideal for heavy materials ie. mirrors

WH White, BK Black, GY Grey

| Code | FIXALLHITACK | 290ml |

FIX ALL TURBO

- Super fast – 20-min bond!
- End bond in 3 hours

WH White

| Code | FIXALLTURBO | 290ml |

FIX ALL EXTREME

- Ultimate grab, 400kg/m^2
- Heavy duty bonding
- Ideal for sheet material, decor cladding, heavy objects

WH White

| Code | FIXALLXTR | 290ml |

FIX ALL HIGH TACK INVISIBLE

- High initial tack reducing the need for initial support
- Super clear

IN Invisible

| Code | FIXALLINVHITAK | 290ml |

ULTRA-FLEX HIGH PERFORMANCE LIQUID WATERPROOFING

BEST SELLER

New QUICK-CURE
Can be used to speed up the curing process and
COMPLETE THE JOB IN 1 DAY!

FEATURES & BENEFITS

Ultra Flex is a single component liquid that cures through moisture contact and therefore is used directly from the container with no requirement for additional additives.

It is ideal for	Benefits include
New roofs	Pre-mixed
	Excellent adhesion to most surfaces
Repair or refurbishment of existing roofs	Early rain resistance
	Cold weather application
	Easy wet-on-wet application
Flat & low pitched roofs	Easy to use with detail and awkward areas
	Flame/heat free application
Complex detailing	Highly elastomeric
	Reinforced & seamless
Box Gutters and Valleys	From small domestic to large commercial roofs
	Balcony systems available

Guarantees available from **15 to 25 years**

High performance liquid waterproofing system

Code	Description	Size
EAGLEUDG15KG	Ultra-Flex dark grey 15kg	15kg
EAGLEUM60M	Ultra-Flex matting 60mtr x 1mtr	60m x 1m
EAGLEUM20M	Ultra-Flex matting 20mtr x 1mtr	20m x 1m
EAGLECT2.5	GRP Checktrim - Non Drip 2.5mtr	2.5m
EAGLEDT2.5	GRP Driptrim - Drip 2.5mtr	2.5m
EAGLE9S9˝	Ultra-Flex sleeve	9˝
EAGLE4S4˝	Ultra-Flex sleeve (10 pack)	4˝
EAGLE9A9˝	Caged roller arm	9˝
EAGLEPCND	Preformed corner non drip	N/A
EAGLEDCL	Driptrim to checktrim Left hand corner	N/A
EAGLEUP	Ultraflex Primer	5kg
EAGLEDCR	Driptrim to checktrim Right hand corner	N/A
EAGLE4A4˝	Roller arm	4˝
ULTRATOP	Ultratop	5kg
ULTRAPCD	Preformed Drip Corner	N/A
TUB11L	Ultraflex Storage Tub + Lid	11L
UT	Tixal additive for vertical applications	1L
UQC	Quick-Cure additive to speed up curing process	1.2L
EAGLEST	Ultraflex Gap filler and sealant	290ml

FLAT ROOF WATERPROOFING - PRO GRP

PRO GRP

No Joints, No Seams,
No Leaks

ASK IN-BRANCH ABOUT GRP TRAINING

- HEAT RESISTANT
- FOOT TRAFFIC
- FIRE RESISTANT
- FROST PROOF
- STORM PROOF
- IMPACT RESISTANT

CROMAR
Building Products

GRP stands for Glass Reinforced Polyester, and is also known as Glass-Fibre.

This system is cold applied on site, giving it a seamless and flexible weatherproof finish that resists water, heat and frost. The resulting surface gives a strong architectural finish that looks very impressive. If maintained properly it will last as long as the building stands.

Cromar have developed this technology further to produce the perfect all-weather protection for any flat roof. PRO GRP can be applied in small domestic situations right through to large industrial environments.

The PRO GRP system is available in individual component form allowing the flexibility to buy exactly what's required for your next GRP roofing job.

PRO GRP

Code	Description
G25/RES10	Pro 25 Resin 10kg
G25/RES20	Pro 25 Resin 20kg
G25/TOP10	Pro 25 Topcoat 10kg
G25/TOP20	Pro 25 Topcoat 20kg
GA/25	Acetone 25l
GA/5	Acetone 5l
GA/C1	C1 Universal External Corner Trim
GA200/RSDT-1	Fascia Trim – A200 3m
GB/ROLL	Glass Fibre Bandage 100mm 3.5kg
GB/ROLL75	Glass Fibre Bandage 75mm 3.5kg
GB260/RSRT-2	Raised Edge Trim - B260 3m
GBB/140	Bubble Buster V Roller 140mm x 21mm
GBB/225	Bubble Buster V Roller 225mm x 21mm
GBB/225/40	Bubble Buster V Roller 225mm x 40mm
GBB/70	Bubble Buster V Roller 70mm x 21mm
GC100/RSLT-1	Simulated Lead Trim - C100 3m
GD260/RSAT-1	Wall Fillet Trim - D260 3m
GDISP/80	Dispenser Bottle 80ml
GEXP	Expansion Joint/Roll Top Trim 3m
GEXT/195/RS/INT	External Angle Trim - Ext/195 3m
GF300	F300 Flat Sheet 20M Roll
GFILL/3	3" Roller Refill
GFILL/7	7" Roller Refill
GFILL/9	9" Roller Refill

PRO GRP

Code	Description
GH/1	Hardener 1l
GH/5	Catalyst Hardener 5kg
GINT/195.RS/INT	Internal Angle Trim - Int/195 3m
GMAT/	Fibreglass Matting Csm 450gsm 16.5kg
GMAT/15	Fibreglass Matting Csm 450gsm 6.75kg
GMAT/35	Fibreglass Matting Csm 450gsm 35kg
GMAT/35600	Fibreglass Matting Csm 600gsm 35kg
GPAD/140	140mm x 21mm Laminating Paddle
GPAD/225	225mm x 21mm Laminating Paddle
GPAD/70	70mm x 21mm Laminating Paddle
GPB/2	2" Laminating Brush
GPB/3	3" Laminating Brush
GPB/4	4" Laminating Brush
GROLL/3	3" Resin Applicator Roller
GROLL/7	7" Resin Applicator Roller
GROLL/9	9" Resin Applicator Roller
GRP/KIT13B	Grp 13Sqm Kit
GTISH	Grp Finishing Tissue 100mm x 250m
MPHM/031	Pu Adh Grp Trim Adhesive 310 mil
OSB2400X1200X18	2400mm x 600mm x 18mm T&G OSB3 Board
SEMPTY/10	10l White Plastic Tub
SEMPTY/501	5l White Plastic Tub

FLAT ROOF WATERPROOFING - FLEXIGLASS GRP

Acrypol Flexiglass® is a versatile grp resin roof system designed for new and existing roofs.

Flexiglass® can be applied to almost any roof surface such as felt, asphalt, concrete and OSB3 TG board as a new roof covering. Flexiglass® is a totally seamless, highly flexible roof system ideal for any sized job.

Flexiglass Resin

Code	Size
G20FLEXITC20	20kg

Flexiglass Encapsulating Primer

Code	Size
G20FLEXIPRIMER5	5kg

Flexiglass BPO Catalyst

Code	Size
G20BPO50	50kg
G20BPO100	100kg
G20BPO200	200kg

Flexiglass Matting

Code	Size
GMATT/225/6.75	6.75kg (30m approx)
GMATT/225/16.5	16.5kg (73m approx)
GMATT/225/33	33kg (146m approx)

Flexiglass Joint Bandage

Code	Size
GMAT/225BAN	6.75kg (30m approx)

FLAT ROOF WATERPROOFING - HPX

FEATURES & BENEFITS

Dark grey colour

Instantly waterproof even when it's raining - applies flawlessly to damp surfaces

Use it straight out of the tin - no mixing/no additional hardener

Applies to most common substrates - rubber. concrete, grp, asphalt

GUARANTEED 20 YEARS

TriRoof HPX is the ultimate Roofing Overlay System, designed to work all year round from the colder, wetter months and throughout the heat of the summer.

TriRoof HPX can be applied effortlessly on nearly any surface and even on wet or damp substrates, meaning you don't have to plan your work around the weather.

Once fully cured, HPX remains elastic and can stretch up to 300% of its original size, meaning any movement in the surface will not split or tear the membrane.

For an even tougher, more resilient roof, a layer of glass matting can be incorporated into the liquid to help bind the roof together. HPX is waterproof, UV resistant and has a 10 year guarantee. Adding a second layer with the HPX reinforcement kit will guarantee your roof for 20 years.

This product is cold applied and requires no additional hardener or mixing. It can be applied straight out of the tin. HPX is free of bitumen, solvent and isocyanates, making it kinder to the environment and its users.

Code	Description	Size
HPX	HPX Dark Grey	14kg
HPX10KIT	10 Sqm kit - package description	10m^2
HPX20KIT	20 Sqm kit - package description	20m^2

10m kit	20m Kit
10m^2	20m^2
225g HPX Glass Matting	225g HPX Glass Matting
Glass Bandage 5m	Glass Bandage 10m
1x6" Smooth Finish Roller	1x10" Smooth Finish Roller
1x6" Base Roller	1x10" Base Roller
1x6" Roller Handle	1x10" Roller Handle
1x6" Roller Handle	1x10" Roller Handle

FLAT ROOF WATERPROOFING - ACRYPOL

THE ORIGINAL INSTANT WATERPROOF SOLUTION FOR EMERGENCY LEAKS & FAILING FLAT ROOFS.

Refurbish failed industrial, commercial or domestic flat roofs

Easy to apply

Single coat application

Can be applied even during damp weather conditions

Fibre reinforced

The original instant waterproof solution for emergency leaks & failing flat roofs. Acrypol+ is a total roof coating waterproof system developed to refurbish failed industrial, commercial or domestic flat roofs and is also ideal for general property maintenance as well as patching repairs. Brush applied as a semi liquid paste; it dries to form an ultra-tough, seamless flexible overlay. Acrypol + known as the original waterproof coating, can be applied during damp weather conditions and still provide a long-term solution to waterproofing problems, including flat roof repair.

Acrypol+ can be applied during damp weather conditions and at the same time provide a long-term solution to the problem. The all-weather application properties, combined with the simplicity of application, makes this product a particularly attractive proposition to those employing their own labour force for general property maintenance. The versatility of Acrypol+ is acknowledged widely by Municipal Authorities and Maintenance Contractors throughout the United Kingdom.

How does Acrypol+ work?

Acrypol+ is an acrylic resin dispersed in a solvent to form a semi-liquid paste. The coating film dries into a tough durable elastic overlay that prevents the passage of water yet is chemically structured to allow trapped moisture to evaporate, thus avoiding the formation of blisters. A specific feature is incorporated with added fibres, fibres that act like a built-in scrim. These fibres interlace when the coating is applied – filling and bridging gaps and cracks (up to 10mm wide). The fibres increase the tensile strength of the dry film making it more durable - a big plus!

• One-coat instant waterproof coating

• Dry and damp application

Can be used on a variety of surfaces:

Flat Roofs, Asphalt, Bituminous surfaces, Brickwork, Gutters, Leadwork, Metals, PVC, Asbestos, Glass, Roofing felt, Rooflights, Concrete, Fibreglass.

Coverage: 1-2kg/m² average

Drying time: 2-3 days depending on ambient temperature and ventilation

Colour Options: GRY Medium Grey, BLK Black

Acrypol+ 5kg

Code	Description	Size	Colour
ACRYPOLGRY	Acrypol+ Roofing Liquid Patch Repair	5kg	Grey
ACRYPOLBLK	Acrypol+ Roofing Liquid Patch Repair	5kg	Black

FLAT ROOF WATERPROOFING - GRP TRIMS

	Code	Description
1	GA200/RSDT-1	Fascia trim – A200 3m
2	GA250/RSDT-1	Fascia trim – A250 3m
3	GEXT/195/RS/INT	Raised edge trim - B260 3m
4	GINT/195.RS/INT	Simulated lead trim - C100 3m
5	GB260/RSRT-2	Wall fillet trim - D260 3m
6	GC100/RSLT-1	Internal angle trim - int/195 3m
7	GD260/RSAT-1	External angle trim - ext/195 3m
8	GA/C1	C1 universal ext corner trim std
9	GF300	Expansion joint/roll mop trim 3m
10	GEXP	F300 flat sheet 20m roll

ROOFING MEMBRANE

Easy-Trim Grafter Breather Membrane

A lightweight hybrid breathable roof underlay. Suitable for Warm and Cold roof application.

Code	Weight	Size
MEMBGRAFT50M	100gsm	1 x 50m
EASYTRIMGRAFT1.5	100gsm	1.5 x 50m

Easy-Trim Master Breather Membrane

Master delivers performance and value for money whilst being lightweight and flexible. Suitable for Warm and Cold roof application.

Code	Weight	Size
EASYTRIMMAST1x50	112gsm	1 x 50m
EASYTRIMMAST1.5x50	112gsm	1.5 x 50m

Easy-Trim Pro Breather Membrane

Pro delivers performance and strength whilst still having a relevant price for most budgets. Suitable for Warm and Cold roof application.

Code	Weight	Size
MEMBPRO50M	122gsm	1 x 50m

Easy-Trim Maxi Breather Membrane

Maxi provides high performance with a heavier weight for strength, durability, and no gusting wind noise in all applications. Suitable for Warm and Cold roof application.

Code	Weight	Size
EASYTRIMMAXI15	132gsm	1 x 50m

Easy-Trim Ultra Breather Membrane

Ultra provides further high performance with a heavier weight for strength, durability, and no gusting wind noise in all applications. Suitable for Warm and Cold roof application.

Code	Weight	Size
EASYTRIMULTRA1M	142gsm	1 x 50m
EASYTRIMULTRA15	142gsm	1.5 x 50m

Easy-Trim Fortis Breather Membrane

Fortis is a 4-layer reinforced heavyweight membrane. Complete with a built-in reinforcement grid. Suitable for Warm and Cold roof application.

Code	Weight	Size
EASYTRIMFORT1.5	160gsm	1.5 x 50m

Easy-Trim Non-Breath

Non-Breathe is a 2-layer, non-breathable roof membrane. Non-Breathe roofing membrane provides major benefits over 1F bitumen-based underlays and plastic under slating membrane. Typical applications are re-roofing projects, garages, and porches.

Code	Weight	Size
MEMBPRO45M	120gsm	1 x 45m

Also available to order from Eurocell branches are the integrated tape range of membranes

Easy-Trim Vista Breather Membrane

Vista provides ultimate high performance with a real heavy-duty weight for strength, durability and no gusting wind noise in all applications. Suitable for Warm and Cold roof application.

Code	Weight	Size
MEMBVISTA50M	162gsm	1 x 50m

TRACER®

PROFESSIONAL CONSTRUCTION MARKERS

IN STORE NOW

MINI MARKER

The TRACER black mini permanent marker is ideal for general purpose marking and with lanyard compatibility makes for a convenient marking solution.

TRACER MINI PERMANENT

TRACER MINI PERMANENT

> 1-2mm bullet point marker

> Lanyard compatible for convenient marking

> Quick drying ink

PROSCRIBE

The TRACER proscribe has multiple functions which include, parallel marking, profile scribing, compass and more. This set includes tracer deep hole pencil with site holster, 6 replacement leads and carry case.

TRACER 120MM LEADS

15+ MARKING APPLICATIONS

> Versatile, lockable design for multiple applications

> High quality, durable metal and plastic construction

> Compact and lightweight and easy to use

SCAN FOR MORE INFO

> Made from CNC Aluminium

> Metric ruler on plumb edge

> Lockable adjustable arm

> True 90° angle

LOOK OUT FOR TRACER IN STORE

ADJUSTABLE PROSQUARE

The TRACER ProSquare is the fastest and simplest tool for marking out; com, jack, hip and valley cuts. Simply set to the roof pitch, with no need to convert or calculate. Available in 7" and 12".

SCAN FOR MORE INFO

ACCESSORIES

Tracer

Code	Description	Qty
TRC-ADP2	TRACER Deep Pencil Marker & Site Holster	1
TRC-AMP2	TRACER Double tipped Marker Pen & Site Holster	1
TRC-ALH1	TRACER Lead Holster - 6x Replacement leads in TRACER Holster (4x 2B & 2x Yellow)	1
TRC-ACF-MK3	TRACER Clog Free Marker Kit - 3pc pack (1x Black / 1x Blue / 1x Red) c/w Site Holsters	1
TRC-APMK1	TRACER Pack of 4x Permanent Marker's (Black, Red, Blue)	1
TRC-APM1	TRACER Permanent Construction Marker (Black)	1
TRC-APM2	TRACER Permanent Marker (Blue)	1
TRC-APM3	TRACER Permanent Marker (Red)	1
TRC-AHD1	TRACER Heavy Duty Marker - (Black)	1
TRC-APTM1	TRACER Paint Marker - (Yellow)	1
TRC-APTM2	TRACER Paint Marker - (White)	1
TRC-APST2	TRACER Scribe Tool c/w Deep Hole Pencil & 6x Replacement lead holster	1
TRC-APS12	TRACER 12" Pro Square	1
TRC-H8MAK	TRACER Smart Blades	1

GET A TRADE ACCOUNT TODAY ASK IN BRANCH FOR MORE DETAILS

OVER 6000 PRODUCTS AVAILABLE IN-BRANCH

210+ BRANCHES NATIONWIDE

INSTANT TRADE CREDIT AVAILABLE

DEDICATED ACCOUNT MANAGER

EXCLUSIVE TRADE ACCOUNT PRICING

ONLINE TRADE ACCOUNT

TIMBER

ASK IN-BRANCH ABOUT THE FULL RANGE

OSB3

Code	Pack qty	Size
TSOBB39	1	2440 x 1220 X 11mm
OSB2400X600X18	1	2400 x 600 x 18mm
OSB2400X1200X18	1	2400 x 1200 x 18mm
OSB2440x1220X18	1	2440 x 1220 x 18mm

Structural Timber

Code	Description	Pack qty	Size
C24TIMBER47X75T4.8	Treated	1	4"x2"x4.8m 47 x 75mm x 4.8m
C24TIMBER47X75UT	Un-Treated	1	4"x2"x4.8m 47 x 75mm x 4.8m
CLS4X2	Treated	1	4"x2"x4.8m 47 x 75mm x 4.8m
CLS4X2T	Un-Treated	1	4"x2"x4.8m 47 x 75mm x 4.8m

Treated roof battens

Code	Pack qty	Size
BATTEN19X38X4.2	1	19 x 38 x 4.2m
BATTEN25X38X4.2	1	25 x 38 x 4.2m
BATTEN25X38X4.8	1	25 x 38 x 4.8m
25X50X4.2BATTEN	1	25 x 50 x 4.2m
BATTEN25X50X5.1	1	25 x 50 x 5.1m
25X50X4.8BATTEN	1	25 x 50 x 4.8m

Plywood

Code	Pack qty	Size
PL2440X1220X12	1	2440 x 1220 x 12mm
EQPLY-LM	1	External Plywood 2440 x 1220 x 12mm

SAWS & BLADES

TRADE ESSENTIALS
20" PREDATOR PVC-U SAW

PREDATOR™

- Ideal for cutting PVC-U and other hard plastics
- Precision cut for a fine finish
- Comfort handle
- Rigid blade
- Duralife technology

Code	Size
B98UPVC	20"

20" PREDATOR UNIVERSAL SAW

Code	B9822

20" PREDATOR LAMINATE SAW

Code	B98LAMINATE

BAHCO TOOLBOX SAW

Code	BAH30014

IRWIN 20" PANEL SAW

Code	JAK880UN20

FOLDING KNIFE

Code	SJ1750

STANLEY KNIFE

Code	STA210099

INSULATION

Knauf earthwool loft roll 44* (combi cut)

Lightweight and economic insulation quilt for pitched roofs at ceiling level and suspended timber floors. Earthwool Loft Roll 44 is a flexible low density glass mineral wool quilt which is lightweight, resilient and non-combustible. The rolls are 1140mm wide and partially perforated to produce either 2 rolls 570mm wide or 3 rolls 380mm wide or available in ready-cut version (2x570mm only).

Code	Size
LOFTROLL44	150mm
LOFTROLL44200	200mm

KNAUF WALLBOARD*

Strong and versatile, Wallboard is a cost-effective choice for partitions, linings and ceilings with standard performance requirements. Wallboard has an ivory paper face ideally suited for a plaster finish or for direct decoration.

Code	Size
WALLBOARD125	1800 x 900 x 12.5mm

*Available in selected branches

Celotex insulation*

Celotex GA4000 is a general purpose insulation board suitable for a variety of applications, including roof, wall and floor insulation. This multipurpose PIR insulation has an A+ rating when compared to the BRE Green Guide.

Celotex GA4000

Code	Size
INSUL25	2400 x 1200 x 25mm
INSUL50	2400 x 1200 x 50mm
INSUL75	2400 x 1200 x 75mm
INSUL100	2400 x 1200 x 100mm
INSUL120	2400 x 1200 x 120mm

Celotex PL4000 is a high performance thermal insulation board where the PIR insulation is bonded to tapered edge plasterboard.

Celotex PL4000

Code	Size
INSULPL65	2400 x 1200 x 65mm + 12.5mm

ACTIS INSULATION

Actis Hybris

Hybris is an insulation material for timber frame or masonry walls, pitched roofs or ceiling applications. Hybris is a reflective insulation product based on a honeycomb structure.

Code	Size
HYBRIS50	1200 x 1145 x 50mm
HYBRIS90	1200 x 1145 x 90mm
HYBRIS105	1200 x 1145 x 105mm
HYBRIS125	1200 x 1145 x 125mm

Actis Boost'r Hybrid

Boost'r Hybrid is a reflective breathable membrane with an excellent built-in thermal performance for use on the cold side of the building fabric in roofs and walls. Boost'r Hybrid provides dual properties within a single product: A breathable membrane and insulation, allowing a reduction in the number of installation steps whilst reducing the thickness of the main insulation to achieve the same required U-Value. It can be used in conjunction with any type of insulation.

Code	Size
ACTISB35	35mm

Actis HControl Hybrid

HControl Hybrid is a reflective vapour control layer with a built-in thermal performance for use on the warm side of any insulation material, behind the internal finish in roofs, walls and ceilings. HCONTROL HYBRID provides dual performance within a single product: a vapour control layer and insulation, allowing a reduction in the number of installation steps whilst reducing the thickness of the main insulation to achieve the same required U-Value. It can be used in conjunction with any type of insulation.

Code	Size
ACTISH45	45mm

Actis tape

Code	Pack qty	Size
ACTISTAPE150	Tape For Reflective Insulation with Copper or Metalizes Face	100mm x 25m
ACTISTAPEMULTI	HPV Membrane Insulation Tape	100mm x 25m

ROOFLIGHTS AND GLAZING

CONTENTS

ROOFLIGHTS ARE A SAFE & SECURE WAY TO INCREASE NATURAL LIGHT INTO BUILDINGS

- **FAKRO** pivoting roof window Comes with inbuilt TopSafe Anti Burglary system, and Head ventilator as standard. P2 Glazing unit with toughened outer pane and laminated inner pane.

- The **FAKRO** type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG).

- **Rooflights** are an ideal way to increase natural light on flat roof properties.

FAKRO pivoting roof windows

Flat roof windows

Roof lights

FAKRO PIVOTING ROOF WINDOW

Comes with inbuilt TopSafe Anti Burglary system, and Head ventilator as standard. P2 Glazing unit with toughened outer pane and laminated inner pane.

Practical and stylish design

Suitable for 15-90 degree pitched roof

U Value of 1.3 W/m²K

Noise Reduction 32dB

Fire proof, Conforms with the European standards

FAKRO offer a complete range of premium quality innovative roof window solutions. From pivot roof windows in beautiful designs and clever opening methods, to flat roof windows in various designs and sizes. FAKRO also offer all the accessories needed to fit and furnish roof windows from exterior flashing to blinds.

A full range of compatible blinds and screens are available to order

ASK IN BRANCH FOR BLINDS AND ACCESSORY OPTIONS

FAKRO pivoting roof window

Code	Description
PTP-V01	Pivot Roof Window 55cm x 78cm
PTP-V02	Pivot Roof Window 55cm x 98cm
PTP-V05	Pivot Roof Window 78cm x 98cm
ELV01	Slate Flashing 55cm x 78cm
ELV02	Slate Flashing 55cm x 98cm
ELV05	Slate Flashing 78cm x 98cm
EZV01	Tile Flashing 55cm x 78cm
EZV02	Tile Flashing 55cm x 98cm
EZV05	Tile Flashing 78cm x 98cm

HIGH PERFORMANCE UPVC ROOF WINDOWS

FAKRO UPVC roof windows are manufactured from materials such as glass, UPVC profiles, aluminium and steel components making them 99% recyclable. Applying recycled components in the production process significantly cuts down the amount of waste and helps reduce the needs for fossil fuels such as crude oil.

Suitable for any space including high humidity rooms such as:

· Bathrooms   · Kitchens

· Wet rooms   · Utilities

AVAILABLE IN

white   anthracite NEW   pine veneer   golden oak veneer

Special order only

10 YEAR WARRANTY   **EASY TO INSTALL**   **VALUE FOR MONEY**

FIND US AT YOUR LOCAL eurocell BRANCH

sales@fakrogb.com

www.fakro.co.uk

CE topSafe

FLAT ROOF WINDOWS

The ideal solution for providing
natural daylight

The benefits of natural illumination
of buildings are unquestionable
but in those with flat roofs it is
not always possible to install
sufficient standard vertical
windows. A source of natural light
should be available in any living
space to make its occupants feel
comfortable. The ideal solution for
providing light is the installation
of specially designed products for
flat roofs.

GUARANTEED
10
YEARS

ASK IN
BRANCH FOR
QUICK TURN-
AROUND

FLAT ROOF WINDOWS

FAKRO flat roof windows

- The FAKRO type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG). FAKRO flat roof products bring the very highest standard of natural light to interiors. They also provide ventilation and offer exceptional functionality. In short, they can transform any room under a flat roof.
- The new range of technologically advanced G windows give smart aesthetics and provide an alternative solution for bringing natural daylight into rooms below a flat roof.
- Integral upstand for quick and easy installation.
- P2 safety glazing
- 10 year warranty

DEG

DMG

DXG

Electric z-wave control

- Electrically opened with wireless Z-Wave system,
- Included in the kit: AC adaptor, remote control, rain sensor
- Sash tilts 15cm

Code	Size
FRW80EX01	01K 60x60
FRW80EX02	02K 60x90
FRW80EX03	03K 70x70
FRW80EX04	04K 80x80
FRW80EX05	05K 90x90
FRW80EX06	06K 90x120
FRW80EX07	07K 100x100
FRW80EX08	08K 120x120
FRW80EX09	09K 140x140
FRW80EX10	10K 100x150
FRW80EX11	11K 120x200

Manual opening

- Opened manually by means of ZSD control rod 2.2m long included
- Sash tilts 30cm

Code	Size
FRW80EW01	01K 60x60
FRW80EW02	02K 60x90
FRW80EW03	03K 70x70
FRW80EW04	04K 80x80
FRW80EW05	05K 90x90
FRW80EW06	06K 90x120
FRW80EW07	07K 100x100
FRW80EW08	08K 120x120
FRW80EW09	09K 140x140
FRW80EW10	10K 100x150
FRW80EW11	11K 120x200

Non opening

- Non opening

Code	Size
FRW80EU01	01K 60x60
FRW80EU02	02K 60x90
FRW80EU03	03K 70x70
FRW80EU04	04K 80x80
FRW80EU05	05K 90x90
FRW80EU06	06K 90x120
FRW80EU07	07K 100x100
FRW80EU08	08K 120x120
FRW80EU09	09K 140x140
FRW80EU10	10K 100x150
FRW80EU11	11K 120x200

ROOFLIGHTS

- Rooflights are an ideal way to increase natural light on flat roof properties.

- This product range offers high security and exceptional energy efficiency - with u-values as low as 1.8!

- The domed design offers great aesthetics, meaning they are desirable additions for residential and commercial applications.

GLAZING OPTIONS

CLEAR
- High light transmission
- Allows unimpeded views

OPAL
- High light transmission
- Allows unimpeded views

DIFFUSED
- Maximises privacy
- Diffuses light to avoid sun glare

BRONZE
- Reduces solar heat gain
- Reduced light-transmission

OTHER DESIGNS AVAILABLE

Choice of ventilation options - ask a member of staff at your **local Eurocell branch today!**

GET A TRADE ACCOUNT TODAY
ASK IN BRANCH FOR MORE DETAILS

OVER 6000 PRODUCTS AVAILABLE IN-BRANCH

210+ BRANCHES NATIONWIDE

INSTANT TRADE CREDIT AVAILABLE

DEDICATED ACCOUNT MANAGER

EXCLUSIVE TRADE ACCOUNT PRICING

ONLINE TRADE ACCOUNT

CLEANING PRODUCTS & FILLER

CLEANERS

CREAM CLEANER

- Restore and revive PVC-U surfaces
- Solvent-free

1 litre

Code	CCLEAN1

GLASS CLEANER

Code	GCLEAN1	1L
Code	GCLEAN25	25L

SOLVENT CLEANER

Code	SCLEAN1	1L
Code	SCLEAN5	5L
Code	SCLEAN1-10 HEAVY DUTY	1L

FILLER

REPAIR EXPRESS PLASTER 900ML

- An ultra lightweight filler for gaps and cracks
- Easy to tool and sand
- Sets hard with no shrinkage or sagging
- Overpaintable

white

Code	SOUDAFIL900

WIPES

100 XXL wipes

- Super strong and soft cloth like fabric
- Cleans up oil, grease, ink, paint, silicones, or uncured PU foam
- Stays wet and useable for over an hour

Code	ULTRAGRIME

80 XXL wipes

- Super strong fabric – rough on one side, soft on the other
- 3-in-1 action for efficient cleaning – Lifts, Cleans, Protects
- Stays wet and useable for over an hour

Code	ULTRAWIPEPOWER

113551 SWIPEX SUPER CLEANING WIPES

- Heavy-duty non-woven wipes
- Multi-purpose use
- Removes oil, sealant adhesive stains, grease etc. from hands

100 pack

CONSERVATORIES

CONTENTS

A SUPERB SELECTION OF CONSERVATORY ROOFS TO SUIT EVERY HOME, PLUS CONSERVATORY ACCESSORIES AND CANOPIES

SKYPOD LANTERN ROOF

- **Equinox tiled roofs**
  transform your customers'
  conservatories from an
  under-used room into a cosy,
  welcoming space that provides
  complete comfort all year round
  - find out more on page 96

- **Skypod** lantern roofs
  with a **NEW** acute design option
  now available, Skypod lantern
  roofs have never looked better.
  Why not offer your customers
  sleek, contemporary design
  with Skypod today? - find out
  more on page 106

- **Polycarbonate roof glazing**
  - offers a great cost saving
  solution to traditional glass
  options - find out more
  on page 112

TILE ROOF SYSTEMS

The Equinox tiled roof is the perfect solution. Combining high-quality precision engineering with attractive styling inside and out

- **Energy efficiency** with new high performance styrene helps boost overall roof energy efficiency and thermal insulation to keep the room below comfortable enough to use at any time of year

- **Structural strength** Upgraded boarding in the roof system sandwich increases overall strength to allow larger areas without risk of sagging

- **No job is too small** - Equinox isn't just a great system for conservatory roofs either. This versatile solution can also be used to transform flat roofs – whether you are building a new extension or you have an existing flat roof that's ready for a change.

Transform under-used conservatories into usable living spaces - 24/7, 365 days a year

GUARANTEED 10 YEARS

Metrotile steel roof tiles

Steel tiles come as standard, and are lightweight and available in a choice of colours to suit many house styles.

METROTILE COLOUR OPTIONS

CHARCOAL	ANTIQUE RED	BURNT UMBER	MOSS GREEN	EBONY

Tapco Classic composite roof tiles

Composite tiles offer the authentic look of traditional slate tiles without the risk of shattering, fading, warping or cracking.

TAPCO COLOUR OPTIONS

BRICK RED	PEWTER GREY	STONE BLACK	CHESTNUT	PLUM	RED ROCK

COMPOSITE SLATE TILES COLOUR OPTIONS

BRICK RED	PEWTER GREY	STONE BLACK	CHESTNUT	PLUM	RED ROCK

Slateskin sheet tiles

Slateskin tiles are 50% faster to install than steel or composite tiles. That means less disruption for you during installation.

SLATE GREY

FASCIA COLOUR OPTIONS

WHITE	CREAM	GOLDEN OAK	IRISH OAK	CREAM WHITE
ROSEWOOD	CHARTWELL GREEN	ANTHRACITE GREY	BLACK ASH	MAHOGANY

Guttering colours

WHITE	CLAY BROWN	BROWN	BLACK	CREAM

STEEL TILE OPTIONS

CHARCOAL	ANTIQUE RED	BURNT UMBER	MOSS GREEN	EBONY

VEGA GLAZING COLOUR OPTIONS

CLEAR	BLUE	NATURAL	BRONZE

Envirotile lightweight roof tiles

Recycled polymer lightweight roof tile with an interlocking system that makes tiling easier. Available as part of the Equinox tiled roof system.

ENVIROTILE COLOUR OPTIONS

SLATE GREY	BROWN	TERRACOTTA	ANTHRACITE GREY	ANTHRACITE BLACK

The leading system - Eurocell designed, manufactured & distributed

equinox®
THE DIFFERENCE IS NIGHT & DAY

DELIVERED IN 5-7 WORKING DAYS

0.15 U-VALUE

Variable pitches means more conversions possible

Greater structural strength

Easy and quick installation in 2 days

Design-engineered for outstanding technical performance

0.15 U-VALUE

U-values as low as 0.15

£ Better value for money - helps increase your sales

FULLY VENTILATED SOLID ROOF SYSTEM WITH EXTRA RIGIDITY

WE GUARANTEE *UNBEATABLE SERVICE*

THE EUROCELL GUARANTEE
EUROCELL SERVICE
THE EUROCELL GUARANTEE

Quote requests for conservatory roofs returned in under an hour

Technical support with one point of contact every step of the way

Delivered at a time to suit you – in as little as 3 days

Phone and onsite support with surveys and installation

ROOF WINDOWS

A choice of high-quality, market-leading roof windows and full glazing panel solutions are available and can be fitted into the roof system.

For more details ask a member of staff at your local Eurocell branch!

equinox®
THE DIFFERENCE IS NIGHT & DAY

equinox VEGA | GLAZED SOLUTIONS

More light
Equinox Vega features large glazed areas letting in more natural light for brighter.
sunlit conservatories that give an impression of even more space.

TILE ROOF SYSTEMS

equinox®
THE DIFFERENCE IS NIGHT & DAY

£ BETTER VALUE THAN EVER

SAVE TIME

SAVE HASSLE

ROOF STYLES

HINTS & TIPS

COMPATIBLE WITH ALL ROOF STYLES

- Victorian
- Edwardian
- Gable-ended
- P-shaped
- Lean-to

EQUINOX IS ALSO SUITABLE FOR:

- Flat roofs
- Extensions
- Porches

VICTORIAN

EDWARDIAN

GABLE-ENDED

LEAN-TO

P-SHAPED

DISCOVER MORE...
INTERIOR PRODUCTS

PRODUCT RANGE

WINDOW BOARDS

FINISHING TRIMS

INTERNAL CLADDING

FLOORING

INTERIOR PRODUCTS

LOFT HATCHES

ROOMLINE

OVER 6000 PRODUCTS IN-BRANCH

210+ BRANCHES NATIONWIDE

PRODUCT EXPERTS IN EVERY BRANCH

FREE SURVEYS & QUOTATIONS

CLICK & COLLECT IN-BRANCH

FREE ONSITE DELIVERY*

*Free onsite delivery on orders over the min. spend - Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland.

CONSERVATORY ROOFS

Traditional conservatory roofs

- Compatible with all Eurocell systems, including Eurologik and most other window systems

- Adjustable ridge and eaves beam providing a pitch range of 2.5° up to 45°

- One standard capping for 25mm, 32mm polycarbonate and 24mm glass

- Foam ridge sealing assembly

- The ridge cap with finial and cresting is fitted before the polycarbonate

- Lead flashing channel on the starter bar and flashing trim

- Easy to fit bolt on jack rafters

- Adhesive polycarbonate support trim

- Lusso orangery-style internal finish also available

Fit quicker, more efficiently and smoothly by reducing mitring, scribing and sealing - For more information please call us on 08000 77 88 88 today!

Conservatory roof system

Eurocell's conservatory roof system is designed to eliminate common problems experienced by installers at a price that doesn't penalise you for wanting to fit the best.

ROOF STYLES

HINTS & TIPS
COMPLETE THE JOB

RAINWATER SYSTEMS
Take a look at the range on page 122

BI-FOLD & PATIO DOORS
Find out more in our Door & Window catalogue

POLYCARBONATE SHEETS
Choose from our range of polycarb on page 112

COMPOSITE DECKING
See our full range in our Outdoor Living catalogue

Stunning styles to suit all homes

VICTORIAN   EDWARDIAN   GABLE-ENDED

LEAN-TO   P-SHAPED

Roof Glass Colour Options

CLEAR   BLUE   NATURAL   AQUA   BRONZE

LUMA FLAT ROOFLIGHT

Our new aluminium flat rooflight is designed for now and for future with low-carbon heating and world-leading levels of energy efficiency.

Luma is built to withstand everything the British weather can throw at it.

Suitable for multiple projects, such as existing or new flat roof extensions, garage conversions, new builds, garden rooms and more.

New

Weather-resistant powder-coated frame

The aluminium frame is powder coated for durability and has a UV-resistant, weather-tight seal.

Tinted laminated glass options

Tinted glass still allows the light to flood in but reduces uncomfortable glare from sunlight.

Secured from the inside

Exclusive to Luma

The only flat rooflight which is fixed from the inside for added security.

Slimline modern profile with sleek seamless glazing

Exclusive to Luma

Made-to-measure.

Available in square and rectangular designs.

From 500mm to 1400mm projection

From 500mm to 1400mm wide

From 500mm and up to 3000mm projection

From 500mm to 1400mm wide

Max glass area 2.5sqm

FRAME COLOURS

MATT BLACK RAL 9005

WHITE RAL 9003

ANTHRACITE GREY RAL7016

ANY RAL COLOUR SPRAYED [2]

GLASS OPTIONS

NEUTRAL TINTED

BLUE TINTED

Easy to install and delivered straight to site

Complete the job quickly, with no fuss and no mess.

2-5° installation pitch

Flexible installation options to minimise pooling of water.[4]

2.5° - 5°

Quotes in under 1 hour

There's no waiting around. Just call, drop us an email or fill in the contact form on our website to request a quote, and we'll respond within an hour.[5]

Lead times to suit you

Tell us when you need the products to be on site, and we'll ensure they're there at the right time.

Order checking

Our orders are thoroughly checked prior to delivery, allowing you to get on with installing Luma right away.

Technical support line

Luma flat rooflights are easy to install, but if you need help, ask our experts at your local Eurocell branch or call us on 0333 005 6525.

4. Installation at 5° pitch is recommended
5. Applies within normal office working hours: Mon-Fri 8.30 - 17.00

illumanate your world

Luma aluminium flat rooflights

Made-to-measure. Easy to install.

Rigid slimline aluminium profile
The visible framework is minimised, and daylight is maximised.

Secured from the inside
Fixed from the inside for added security.

Double or Triple glazed options
Laminated high performance self-cleaning glass.

U0.9
Excellent energy efficiency
Thermally broken frame and U-values as low as 0.9.[3]

10 YEAR
10-year guarantee
For peace of mind.

Order in-branch or online

eurocell.co.uk/luma

1. Subject to maximum glass area of 2.5m² (double-glazed) / 2m² (triple-glazed). May also be subject to Eurocell's handling restrictions.
2. Extended lead times apply
3. U-values of 1.3 W/m²K for double and 0.92 W/m²K for triple-glazed.

eurocell®

SKYPOD LANTERN ROOF

- **Skypod** is available in a wide range of sizes and styles, so you can create a lantern roof that complements the individuality of your home

- Skypod is suitable for a wide range of projects such as flat-roofed extensions, orangeries, new builds, kitchen-diners and garage conversions

- **Enjoy larger glass areas**
  With its clean lines and sleek looks, a Skypod lantern roof will add real height and volume to your room. And thanks to a no side rafter option, you can enjoy unimpeded views

- **An energy efficient solution**
  Skypod can achieve exceptional U-values as low as 1.0* – this helps minimise heat loss, meaning that you can save money on your heating bills

SKYPOD
Pitched lantern roofs

WHY CHOOSE SKYPOD?

Great looks, energy efficient, easy installation and a more cost-effective solution than conservatory roof systems or aluminium skylights - Skypod brings a stylish new living space that's flooded with natural light.

Skypod Acute

And now, thanks to Skypod Acute - you can increase the natural light of your home in a purposed-designed lantern roof!

UNIQUE SPIDER BAR GLAZING CAP

SLEEK DESIGN

1.0 U-VALUE

FIXED 20° OR 30° PITCH

ARCHITECTURAL COLOURS

Fast, accurate installation

U 1.0 U-VALUE

U-values as low as 1.0*

A choice of frame and glass colours

Designed for superior performance

Cheaper than aluminium alternatives

FREE BROCHURE

See the great benefits of Skypod for yourself in our **NEW Skypod brochure.**

Give your flat roof a makeover

Contents

SKYPOD LANTERN ROOFS

make your home a star

PICK ONE UP IN-BRANCH TODAY!

SKYPOD LANTERN ROOF

35 degree roof pitch to maximise light into your home

Aspirational living spaces

Create an impressive feature on smaller flat roofs and maximise natural light in your home.

SKYPOD FRAME COLOURS

WHITE White interior	**ANTHRACITE GREY** White interior	**ANTHRACITE GREY*** Anthracite interior	**MOONDUST GREY** White interior	**ROSEWOOD** White interior	**GOLDEN OAK** White interior

GLASS COLOURS

BLUE	**NEUTRAL**	**BRONZE**
AQUA	**CLEAR**	

SKYPOD PLUS FRAME COLOURS

MATT BLACK White interior	**MATT BLACK** Black interior**	**GREY** White interior	**GREY** Grey interior**	**WHITE** White interior

Additional colours and specifications are made to order on extended lead times

skypod acute

all Skypods available in 20° and 35° fixed pitches

skypod®

Available in fixed 20° and 35° pitches

No 'side-bars' needed on sizes up to 1.5m × 2.75m

Up to 1.5m × 7.45m

skypod^{PLUS}

Available in fixed 20° pitch

Up to 2.75m × 8.7m

Up to 2.75m × 2.75m

Up to 1.5m × 1.5m

Note: Design will vary dependent on size. All Skypod lantern roofs are made-to-order, and you will receive a design to sign-off before the item goes into production.

SKYPOD PLUS

skypod^{PLUS}

PREMIUM LANTERN ROOFS

THE NEW SKYPOD PLUS.

Skypod Plus is a brand new addition to the successful Skypod range. Building on the existing purpose designed thermally broken aluminium ridge and ring beam, Skypod Plus now offers aluminium rafter top caps powder coated in smooth grey and white, to sit alongside the existing black. This means the whole of the external face offers stunning architectural aesthetics. All internal bars are capped in the conventional way with PVC-U and are available in white, grey or black finish.

Skypod Plus is available in 2 or 3 bar options and square shaped. The system has a fixed roof pitch of 20° and is supplied in a choice of five self-cleaning, temperature controlling glass options, with a centre pane U-value of 1.0W/m²K achievable.

The contemporary and balanced aesthetics on Skypod Plus have been achieved by avoiding the use of bulky end caps, crestings and finials, which are incorporated into lantern roofs when using standard conservatory components.

MATT BLACK
White interior

MATT BLACK
Black interior

GREY
White interior

GREY
Grey interior

WHITE
White interior

WHITE
Grey interior

WITH ALUMINIUM RAFTER TOP CAPS. AVAILABLE IN BLACK, WHITE & GREY.

SKYPOD PLUS STYLE & SIZE OPTIONS

Available in 20° fixed pitch

No 'side-bars' needed on sizes up to 1.5m × 2.75m

Up to 1.5m × 7.45m

Up to 2.75m × 8.7m

Up to 2.75m × 8.7m

Up to 1.5m × 1.5m

Find out more at eurocell.co.uk/skypodplus

* Black and grey internal finishes on Skypod Plus are produced by a spraying process

ROOF GLAZING

Standard and bespoke polycarbonate, and roof panel ranges

POLYCARBONATE SHEETS ARE A GREAT ALTERNATIVE TO GLASS

- Ready to use

- Mould resistant

- Suitable for a wide variety of applications including conservatory roofs

- Lightweight and excellent impact resistance

- Weather and UV resistant

- Superb thermal insulation

POLYCARBONATE

IDEAL FOR USE IN CONSERVATORIES, CANOPIES, CURVED ROOF LIGHTS AND MUCH MORE

Lightweight

Energy saving

Range includes 10mm Twin Wall Polycarbonate and 16mm Multiwall Polycarbonate

Available in Clear and Opal

POLYCARBONATE SHEETING

Multiwall Polycarbonate is an extensive range of sheeting in various thickness and sizes.

Multiwall Polycarbonate is co-extruded with a full UV protection layer offering high levels of impact resistance. The energy saving, lightweight sheeting is ideal for use in conservatories, canopies, curved roof lights and much more. Our standard range includes 10mm Twin Wall Polycarbonate and 16mm Multiwall Polycarbonate. A bespoke range of sizes can also be ordered in branch.

Multiwall Polycarbonate is the most widely used form of polycarbonate, often used for conservatories and lean-to roofs. The various layers it's made up from provides superb thermal insulation, also providing relatively good sound insulation. For Timber supported roofs we would recommend 10mm to 25mm polycarbonate, whereas 16mm to 35mm polycarbonate for self-supporting roofs.

You can also use polycarbonate for other glazing requirements. Some examples include sport shelters, bike racks and security barriers. This demonstrates the versatility of polycarbonate sheets.

		Light Transmission (%)	
Thickness	U-Value (W/m2k)	Clear	Opal
10mm Twinwall	3.2	82	40
16mm Multiwall	2.4	77	42

SPECIAL ORDER DELIVERED IN 7 DAYS

Twin wall polycarbonate sheet 10mm

Code	Size	Colour
PC10-C700x4000	700 x 4000 mm	Clear
PC10-C700x3000	700 x 3000 mm	Clear
PC10-C1050x4000	1050 x 4000 mm	Clear
PC10-C1050x3000	1050 x 3000 mm	Clear

Twin wall polycarbonate sheet 10mm

Code	Size	Colour
PC10-O700x4000	700 x 4000 mm	Opal
PC10-O700x3000	700 x 3000 mm	Opal
PC10-O1050x4000	1050 x 4000 mm	Opal
PC10-O1050x3000	1050 x 3000 mm	Opal

Multi wall polycarbonate sheet 16mm

Code	Size	Colour
PC16-C700x4000	700 x 4000 mm	Clear
PC16-C700x3000	700 x 3000 mm	Clear
PC16-C1050x4000	1050 x 4000 mm	Clear
PC16-C1050x3000	1050 x 3000 mm	Clear

Multi wall polycarbonate sheet 16mm

Code	Size	Colour
PC16-O700x4000	700 x 4000 mm	Opal
PC16-O700x3000	700 x 3000 mm	Opal
PC16-O1050x4000	1050 x 4000 mm	Opal
PC16-O1050x3000	1050 x 3000 mm	Opal

POLYCARBONATE BESPOKE MADE TO ORDER RANGE

Multi-wall polycarbonate heat-guard opal

A multi-layered dual colour sheet with a co-extruded heat reflective layer in the outer surface reducing the solar transmission by up to 50% compared with standard tint material.

HEAT guard

SIZES: 25mm & 32mm

PERFECT PARTNER

Our nylon hammer is perfect to hammer those end caps into place once you have your polycarbonate in position.

Multi-wall polycarbonate

Size	Colours
25 & 32mm	Clear

Multi-wall polycarbonate

Multi-wall offers extra heat and noise insulation, whilst the bronze tint reduces sun glare

Sizes	Colours
10 & 32mm	Bronze/Opal

Twin-wall polycarbonate

Choose clear twin-wall polycarbonate when maximum light transmission is required

Size	Colours
10mm	Clear

Triple-wall polycarbonate

Choose clear triple-wall polycarbonate when maximum light transmission is required

Sizes	Colours
16mm	Clear

Triple-wall polycarbonate

Opal polycarbonate offers protection from sun glare, whilst providing extra privacy

Sizes	Colours
16mm	Opal

Triple-wall polycarbonate

Bronze polycarbonate has a tinted effect for protection from sun glare

Sizes	Colours
16mm	Bronze

POLYCARBONATE ACCESSORIES

Snaptyte glazing bars

Join polycarbonate sheets with easy fit glazing bars

Glazing bars

Code	Size
ND25ST25	1 x 2.5m
ND25ST30	1 x 3m
ND25ST40	1 x 4m

Curled roof edge strip

ND25STRE3	1 x 3m
ND25STRE4	1 x 4m
Colour options: WH White / B Brown	

F profiles

F profiles offer support on a side wall, or act as a neat outside roof trim

10mm	
Code	**Size**
ND10F1030	3m x 10mm
ND10F1040	4m x 10mm
16mm	
ND10F1630	3m x 16mm
ND10F1640	4m x 16mm
ND10F1660	6m x 16mm
Colour options: WH White / B Brown	

Sheet closures

Fit onto polycarbonate ends to prevent water from getting into the roof space

Code	Size
ND10SCB	2.1m x 10mm
ND16SCB	2.1m x 16mm
ND25SCB	2.1m x 25mm
Colour options: WH White / B Brown	

Fixing buttons

10 pack

For securing polycarbonate sheets when required

Code	Size
PGFB10	10mm
PGFB16	16mm
PGFB25	25mm
Colour options: WH White / B Brown	

Tapes

50m lengths

Solid	
Code	**Size**
ANO3ST45MM	45m
Vented	
Code	**Size**
ANO3ADT45MM	16mm

Rafter bar - white

Code	Size
RB40-W	4000mm
RB30-W	3000mm

Ally F-section - white

Code	Size
10mm	
AF103-W	10mm
AF104-W	10mm
16mm	
AF163-W	16mm
AF163-W	16mm

Storm tape pack

Code	Size
STP16	16mm
STP10	10mm

GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS

OVER 6000 PRODUCTS AVAILABLE IN-BRANCH

210+ BRANCHES NATIONWIDE

INSTANT TRADE CREDIT AVAILABLE

DEDICATED ACCOUNT MANAGER

EXCLUSIVE TRADE ACCOUNT PRICING

ONLINE TRADE ACCOUNT

POLYLOC PANELS

7 DAYS

SPECIAL ORDER DELIVERED IN 7 DAYS

THE DIY EASY-FIT, INSTANT ROOF SOLUTION
Lightweight
No glazing bars
Speedy assembly, no specialist tools are required
The panels are manufactured from impact resistant polycarbonate
Hardwearing, durable and long-lasting materials
Easy installation

POLYLOC – THE DIY EASY-FIT, INSTANT ROOF SOLUTION

PolyLoc is an easy-fit roofing panel which provides the ideal DIY roofing solution for verandas, canopies or carports.

The easy-fit panels simply click and lock together to provide an instant roof.

The panels are manufactured from impact-resistant polycarbonate which is hardwearing, durable and long-lasting. The sheeting has added UV protection so that you can enjoy the great outdoors whilst being protected from the harmful effects of the sun.

The panels don't require glazing bars, so they are quick and easy to install, simply clicking and locking into place.

There is 10-year limited warranty against loss of light transmission, yellowing and weather impact available for this product. PolyLoc has a coextruded UV protection layer on one side.

Properties			
Thickness	**U-Value (W/m²k)**	**Cover width**	**Colours**
16mm	2.0	500mm	Clear / Opal

PolyLoc sheeting

Code	Description	Size
PLR202C	PolyLoc System Clear	2000 x 2000 mm
PLR252C	PolyLoc System Clear	2500 x 2000 mm
PLR302C	PolyLoc System Clear	3000 x 2000 mm
PLR352C	PolyLoc System Clear	3500 x 2000 mm
PLR402C	PolyLoc System Clear	4000 x 2000 mm
PLR452C	PolyLoc System Clear	4500 x 2000 mm
PLR502C	PolyLoc System Clear	5000 x 2000 mm
PLR552C	PolyLoc System Clear	5500 x 2000 mm
PLR602C	PolyLoc System Clear	6000 x 2000 mm
PLR202O	PolyLoc System Opal	2000 x 2000 mm
PLR252O	PolyLoc System Opal	2500 x 2000 mm
PLR302O	PolyLoc System Opal	3000 x 2000 mm
PLR352O	PolyLoc System Opal	3500 x 2000 mm
PLR402O	PolyLoc System Opal	4000 x 2000 mm
PLR452O	PolyLoc System Opal	4500 x 2000 mm
PLR502O	PolyLoc System Opal	5000 x 2000 mm
PLR552O	PolyLoc System Opal	5500 x 2000 mm
PLR602O	PolyLoc System Opal	6000 x 2000 mm
PLR203C	PolyLoc System Clear	2000 x 3000 mm
PLR253C	PolyLoc System Clear	2500 x 3000 mm
PLR303C	PolyLoc System Clear	3000 x 3000 mm
PLR353C	PolyLoc System Clear	3500 x 3000 mm
PLR403C	PolyLoc System Clear	4000 x 3000 mm
PLR453C	PolyLoc System Clear	4500 x 3000 mm
PLR503C	PolyLoc System Clear	5000 x 3000 mm
PLR553C	PolyLoc System Clear	5500 x 3000 mm
PLR603C	PolyLoc System Clear	6000 x 3000 mm

PolyLoc sheeting

Code	Description	Size
PLR203O	PolyLoc System Opal	2000 x 3000 mm
PLR253O	PolyLoc System Opal	2500 x 3000 mm
PLR303O	PolyLoc System Opal	3000 x 3000 mm
PLR353O	PolyLoc System Opal	3500 x 3000 mm
PLR403O	PolyLoc System Opal	4000 x 3000 mm
PLR453O	PolyLoc System Opal	4500 x 3000 mm
PLR503O	PolyLoc System Opal	5000 x 3000 mm
PLR553O	PolyLoc System Opal	5500 x 3000 mm
PLR603O	PolyLoc System Opal	6000 x 3000 mm
PLRC50C	PolyLoc System Clear	2000 x 4000 mm
PLR254C	PolyLoc System Clear	2500 x 4000 mm
PLR304C	PolyLoc System Clear	3000 x 4000 mm
PLR354C	PolyLoc System Clear	3500 x 4000 mm
PLR404C	PolyLoc System Clear	4000 x 4000 mm
PLR454C	PolyLoc System Clear	4500 x 4000 mm
PLR504C	PolyLoc System Clear	5000 x 4000 mm
PLR554C	PolyLoc System Clear	5500 x 4000 mm
PLR604C	PolyLoc System Clear	6000 x 4000 mm
PLR204O	PolyLoc System Opal	2000 x 4000 mm
PLR254O	PolyLoc System Opal	2500 x 4000 mm
PLR304O	PolyLoc System Opal	3000 x 4000 mm
PLR354O	PolyLoc System Opal	3500 x 4000 mm
PLR404O	PolyLoc System Opal	4000 x 4000 mm
PLR454O	PolyLoc System Opal	4500 x 4000 mm
PLR504O	PolyLoc System Opal	5000 x 4000 mm
PLR554O	PolyLoc System Opal	5500 x 4000 mm
PLR604O	PolyLoc System Opal	6000 x 4000 mm

DISCOVER MORE...
OUTDOOR LIVING & GARDEN ROOMS

SEE THE FULL RANGE IN THE OUTDOOR LIVING & GARDEN ROOMS CATALOGUE

PRODUCT RANGE

COMPOSITE FENCING

CLADDING

GARDEN ROOMS

COMPOSITE DECKING

TOOLS & SEALANTS

PERGOLAS & VERANDAS

GET YOUR COPY FROM BRANCH OR VIEW A DIGITAL VERSION AT EUROCELL.CO.UK

ALSO...

DECKING RANGE

BALUSTRADE SYSTEMS

ARTIFICIAL DECORATIVE WALL

GROUND SUPPORT GRID

RESIN BOUND AGGREGATES

FIXINGS

OVER 6000 PRODUCTS IN-BRANCH

210+ BRANCHES NATIONWIDE

PRODUCT EXPERTS IN EVERY BRANCH

FREE SURVEYS & QUOTATIONS

CLICK & COLLECT IN-BRANCH

FREE ONSITE DELIVERY*

*Free onsite delivery on orders over the min. spend - Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland.

CANOPIES AND PANELS

CONSERVATORY PVC-U PANELS

DON'T WANT TO BUILD A DWARF WALL, OR GO FOR A FULLY GLAZED CONSERVATORY?

THEN CHOOSE PVC-U CONSERVATORY PANELS INSTEAD

Low-maintenance

Perfectly colour-matched to windows and roof

CANOPIES

A VERSATILE RANGE OF STYLISH CANOPIES PROVIDE ADDITIONAL SHELTER

IDEAL FOR:

Residential use

Car ports

Covered walkways

Patio/garden areas

Commercial use

Patio/garden areas

RAINWATER

CONTENTS

RAINWATER

High-quality rainwater systems, ideal for small and large scale projects

- Suitable for both domestic and commercial applications, we offer a range of guttering options

- High-capacity gutters and downpipes available, suited for larger commercial buildings

- Available in 6 guttering styles, including decorative cast iron effect

EUROCELL OFFERS A FULL RANGE OF DRAINAGE SOLUTIONS

A RAINWATER SYSTEMS

Suitable for both domestic and commercial applications, we offer a range of guttering options on page 124

B SOIL DRAINAGE

See the range of components on page 140

C CHANNEL DRAINAGE

Perfect for driveways, patios and plenty more applications. See page 145

D UNDERGROUND DRAINAGE

We offer a 110mm system which can be found on page 142

SQUARE-LINE RAINWATER SYSTEM – 114MM

The square-line rainwater system has an easy clip design with rounded ends to ensure simple installation. The system is suited to residential applications, and is compatible with many other existing systems.

AGS2	2m gutter

2m lengths

AGS4	4m gutter

4m lengths

AUS1	Union bracket

AAS1	90˚ angle

AAS2	135˚ angle

AKS1	Fascia bracket

AES1	External stop end

AES2	Internal stop end

AOS1	Running outlet

AOS2	Stop end outlet

COLOUR OPTIONS

W WHITE	BR BROWN	BL BLACK	AG ANTHRACITE

GUARANTEED **10** YEARS

GUARANTEED **5** YEARS

HALF-ROUND RAINWATER SYSTEM – 112MM

The half-round rainwater system has an easy-clip design with rounded ends ensuring simple installation. The system is suited to residential applications, and is compatible with many other existing systems.

AG2	2m gutter

2m lengths

AG4	4m gutter

4m lengths

AU1	Union bracket

AA1	90° angle

AA2	135° angle

AK1	Fascia bracket

AE1	External stop end

AE2	Internal stop end

AO1	Running outlet

AO2	Stop end outlet

TRADE DISCOUNTS ARE AVAILABLE
- why not open an account in-branch today?

COLOUR OPTIONS

GUARANTEED 10 YEARS

GUARANTEED 5 YEARS

W WHITE	BR BROWN	BL BLACK	AG ANTHRACITE

OGEE RAINWATER SYSTEM 135MM

This system is ideal for use on larger residential buildings, smaller commercial premises and conservatory roof applications, as the system is sturdier due to the thick gutter extrusion.

DESIGNED TO AESTHETICALLY COMPLEMENT ANY PROPERTY

GUARANTEED 10 YEARS

AGKO4	4m gutter

4m lengths

AAKO2	External angle 90°

AAKO4	External angle 135°

AAKO1	Internal angle 90°

AAKO3	Internal angle 135°

AOKO1	Running outlet

AUKO1	Union bracket

ADKS1	UP TO SQ adaptor LH

connects **to square**

ADKS2	UP TO SQ adaptor RH

connects **to square**

ADKR1	UP TO HR adaptor LH

connects **to half round**

ADKR2	UP TO HR adaptor RH

connects **to half round**

AKKO1	Fascia bracket

AKKO2	Top hung fascia bracket

PERFECT PARTNER

Klassic Ogee rainwater system perfectly complements our range of decorative OGEE FASCIA BOARDS

AEKO1	External stop end LH

AEKO2	External stop end RH

COLOUR OPTIONS

GUARANTEED 10 YEARS

W WHITE

BR BROWN

BL BLACK

AG ANTHRACITE

GUARANTEED 5 YEARS

DEEP HIGH CAPACITY RAINWATER SYSTEM 120MM

This system is ideal for properties with large roof areas such as terraced / community housing and light commercial buildings.

AGD4	4m gutter

4m lengths

AUD1	Union bracket

AKD1	Fascia bracket

AOD1	Running outlet

AAD1	90° angle

AAD2	135° angle

AED1	External stop end

AED2	Internal stop end

COLOUR OPTIONS

W WHITE	BR BROWN	BL BLACK	AG ANTHRACITE

GUARANTEED **10** YEARS

GUARANTEED **5** YEARS

SQUARE DOWNPIPE RAINWATER SYSTEM

The square line downpipe has an easy to clip design with rounded ends to ensure simple installation. Suitable for Squareline and Ogee.

APS25	2.5m pipe

2.5m lengths

APS4	4m pipe

4m lengths

APS55	5.5m pipe

5.5m lengths

ABS1	90˚ bend

ABS2	112˚ offset bend

ABS3	Shoe

ASS1	Pipe socket

AYS1	112˚ branch

ACS1	Pipe clip

ACS2	Pipe clip (flush)

PERFECT PARTNER

Need tools to complete the job? We have spirit levels, hammers, saws and more to help your guttering installation.

COLOUR OPTIONS

GUARANTEED **10** YEARS

W WHITE

BR BROWN

BL BLACK

AG ANTHRACITE

GUARANTEED **5** YEARS

RAINWATER

ROUND DOWNPIPE RAINWATER SYSTEM

The round downpipe has an easy to clip design with rounded ends ensuring simple installation.
Suitable for Half-Round, Ogee and Deep High Capacity guttering.

AP25	2.5m pipe

2.5m lengths

AP4	4m pipe

4m lengths

AP55	5.5m pipe

5.5m lengths

AB1	90° bend

AB2	112° offset bend

AB3	Shoe

AS1	Pipe socket

AY1	112° branch

AC1	Pipe clip

TRADE DISCOUNTS ARE AVAILABLE - why not open an account in-branch today?

PERFECT PARTNER

See our full range of fixtures and fitting in-branch.

COLOUR OPTIONS

GUARANTEED 10 YEARS

W WHITE

BR BROWN

BL BLACK

AG ANTHRACITE

GUARANTEED 5 YEARS

ADAPTORS

ADKR1	Round to Ogee adaptor LH

ADKR2	Round to Ogee adaptor RH

ADS2	Square to round adaptor

ADS1	Square to round adaptor

ADKS1	Square to Ogee adaptor LH - not suitable for High Capacity

ADKS2	Square to Ogee adaptor RH - not suitable for High Capacity

Available in black, brown and white

GET A TRADE ACCOUNT TODAY
ASK IN BRANCH FOR MORE DETAILS

OVER 6000 PRODUCTS AVAILABLE IN-BRANCH

210+ BRANCHES NATIONWIDE

INSTANT TRADE CREDIT AVAILABLE

DEDICATED ACCOUNT MANAGER

EXCLUSIVE TRADE ACCOUNT PRICING

ONLINE TRADE ACCOUNT

RAINWATER

Brackets & Accessories

The system is suited to residential application and is compatible with many other existing systems.

RF/HALF	Rise and fall bracket - Adjustable

RF/SIDE	Rise and fall bracket 6 inch - Adjustable

AHS1	Hopper

GGUA	Gutter guard 500mm

Gutter brush

FloPlast GutterBrush offers a low maintenance solution for keeping gutters free from debris. Available in black and white.

• Simple to install
• Will flex to fit virtually any shaped gutter system
• Prevents debris such as moss/leaves/twigs/ seeds from blocking the gutter
• Made from high quality Polypropylene filaments securely fixed into a flexible central rust-free stainless steel core
• Low maintenance

4m lengths

Glazing bars

Code	Description	Unit
GUTTERBRUSHBK	Gutter Brush Black 4m	Each
GUTTERBRUSHWH	Gutter Brush White 4m	Each

UP TO 350 PRODUCTS

AVAILABLE IN STOCK NOW

GUARANTEED 10 YEARS

UPVC guttering and downpipes with attractive benefits for customers and installers, too.

When you need effective, hardworking plastic guttering and downpipes that you can fit fast and forget, look no further than the complete range of UPVC rainwater systems and accessories from Eurocell. Our systems are designed to be suitable for all types of domestic and commercial property, from white UPVC guttering to black UPVC guttering with a wide range of colours in between, and are available in styles from classic half-round and square-line to decorative ogee. We also stock a range of high-capacity gutters and downpipes suitable for larger commercial buildings. Plus, they're quick and easy to fit so you can be sure that your valuable time won't disappear down the drain.

THE COMPLETE SOLUTION

COLOUR MATCH GUARANTEE

SEALANTS & FIXINGS IN-STOCK

eurocell IN 200+ BRANCHES NATIONWIDE

INSTANT TRADE CREDIT AVAILABLE

COMMERCIAL RAINWATER SYSTEM

150mm

- Designed to handle large volumes of water with ease, as the outlet design encourages a vortex effect for greater water flow down the pipe

COMMERCIAL RAINWATER SYSTEM (150MM)

Designed to handle large volumes of water with ease, as the outlet design encourages a vortex effect for greater water flow down the pipe. The Commercial system is suited to commercial or large domestic housing projects.

AG46BL	4m gutter

4m lengths

AA16BL	90˚ angle

AE16BL	External stop end

COLOUR OPTIONS

BK BLACK

AE26BL	Internal stop end

AK16BL	Fascia bracket

AO16BL	Running outlet

AU16BL	Union bracket

SPB135BDS	135˚ offset bend top

SPB135B	135˚ offset bend bottom

SPB135B	Shoe

SPCDB	Pipe clip

AHS16BL	Hopper

GUARANTEED 10 YEARS

CAST IRON EFFECT GUTTERING

A stylish range of guttering and downpipe products

A DECORATIVE EFFECT THAT COMBINES THE LOOK OF A TRADITIONAL CAST IRON SYSTEM

- Quick to install and ready to fit without the need for painting or protective coatings

- Reduced total installation cost. (No metal primer, spanners, paint, or disc cutters required)

- Durable and long-lasting finish without the need to apply corrosion control traditionally used with cast iron systems

- UV stabilised to protect against colour fade

- Lightweight construction for easy handling, assembly and installation

- Stylish and functional, making the range suitable for new build and residential projects

CAST IRON EFFECT 112MM PVC-U

The Cast Iron Effect System offers a high capacity rainwater solution while still benefiting from the timeless appearance of a Cast Iron Effect rainwater system. Its deep semi-elliptical profile means it can be used on most domestic applications.

AG4KI	Polyflow 4m gutter

4m lengths

AU1KI	Union bracket

AA1KI	90° angle

AA2KI	135° angle

AO1KI	Running outlet

AE1KI	External stop end

AK1KI	Fascia bracket

CAST IRON EFFECT RANGE

HINTS & TIPS

The Elegance range has all of the product & installation benefits of using PVC-U as the manufacturing material

CAST IRON EFFECT DOWNPIPE SYSTEMS PVC-U

The Elegance range is designed in such away that each profile system in the range utilises a common downpipe.

AP25KI	Downpipe 2.5m
AHS1KI	Decorative hopper
AS1KI	Pipe socket
AB3KI	Shoe

AB1KI	90° bend
AB2KI	112° offset bend
AY1KI	112° branch
AC1KI	Pipe clip

GET A TRADE ACCOUNT TODAY
ASK IN BRANCH FOR MORE DETAILS

OVER 6000 PRODUCTS AVAILABLE IN-BRANCH

210+ BRANCHES NATIONWIDE

INSTANT TRADE CREDIT AVAILABLE

DEDICATED ACCOUNT MANAGER

EXCLUSIVE TRADE ACCOUNT PRICING

ONLINE TRADE ACCOUNT

ACCESS EQUIPMENT

Roof hook kit

Code
ROOFHOOK

Hop up aluminium work platform

Code	Size
HOP-UP	825mm

Roof clamps

Code
ROOFCLAMPS

Ladder stay

Code
LADDERSTAY

Aluminium mobile access tower (not stocked)

Code	Size
TOWER2.6M	2.6m
TOWER3.7M	3.7m
TOWER5.7M	5.7
TOWER7.8M	7.8m

Click n climb telescopic ladder

Code
TELELADDER

D rung extension ladder

Code
LADDERSTAY

SOIL SYSTEMS

RELIABLE SOIL SOLUTIONS

Maximum durability

Cost-effective

Push-fit style is quick and easy to install

Reliable watertight joins

Interchangeable with leading manufacturer's products made to EN1329

110MM SYSTEM

IDEAL FOR DOMESTIC AND COMMERCIAL APPLICATIONS

SPS3	3m soil pipe (single socket)

3m length

EDSC	Double socket coupling

SPCD	Pipe clip

SSOB	Strap boss

EDSBSS135	45° soil bend (sgl socket)

EDSBSS92.5	90° soil bend (sgl socket)

SAFB	90° angle access bend (sgl socket)

EDSBDS92.5	90° soil bend (dbl socket)

EDSBR92.5	90° soil branch (dbl socket)

SAFT	90° access branch (dbl socket)

EDSBR135	45° soil branch (dbl socket)

EDSBRT92.5	90° soil branch (triple socket)

SSBP	Soil boss pipe

SVC	Soil vent cage

SWC	Soil weathering collar

AV110	Air admittance valve

UNDERGROUND DRAINAGE

GREAT VALUE, MAINTENANCE-FREE UNDERGROUND DRAINAGE

Easy to lay

Flexible – to accommodate normal ground movement

Adaptable – connects to existing drainage systems

Suitable for commercial and residential installations

Available in 82mm, 110mm, 160mm diameters

110MM SYSTEM (160MM SYSTEM AVAILABLE TO ORDER - ASK FOR DETAILS)

UGP3M	110mm 3m pipe plain ended

EDUC	110mm coupler double socket

KPSL1000	Soluble Lubricant

EDUBSS87.5	110mm 87.5° bend single socket

EDUBSS45	110mm 45° bend single socket

EDUBSS30	110mm 30° bend single socket

EDUBSS15	110mm 15° bend single socket

EDUBDS87.5 — 110mm 87.5° bend double socket

EDUBDS45 — 110mm 45° bend double socket

EDUBDS30 — 110mm 30° bend double socket

EDUBDS15 — 110mm 15° bend double socket

UGB87.5RB — 110mm 87.5° rest bend double socket

UGLRB87.5 — 110mm 87.5° long radius bend plain ended

AB01 - 0-45° — 110mm 0 - 30° adjust bend double socket

AB02 - 0-90° — 110mm 0-90° adjust bend double socket

EDUJDS87.5 — 110mm 87.5° equal junction double socket

EDUJDS45 — 110mm 45° equal junction double socket

EDUJTS87.5 — 110mm 87.5° equal junction triple socket

EDUJTS45 — 110mm 45° equal junction triple socket

UGAP5 — 110mm socket plug

UGG4 — 110mm back inlet bottle gully

UGG6 — 110mm bottle gully

UGG46EXT — 110mm raising piece for bottle gully

UNDERGROUND DRAINAGE

UGG3	110mm lowback "P" trap

UGG1	110mm universal gully trap

UGH1	110mm hopper inc square plastic grid

UGH3	110mm rectangular hopper

UGAF6	110mm 45° rodding eye terminal socket

ADS6BL	110mm universal drain adaptor

JCA02	Flexicon universal drain coupler 100-115mm

UGMBS	320mm chamber base

UGRS	320mm riser for chamber base c/w seal

UGMC1PL	320mm square PP cover & frame

UGMBL	460mm chamber base 110mm outlets

UGRL	460mm riser 215mm

ED470SEAL	460mm seal for riser

MCCRPLSQ	460mm PP cover & 65mm deep frame

MCCRPL	460mm cover & frame A rated

CHANNEL DRAINAGE

A UNIQUE & EASY TO INSTALL SURFACE WATER DRAINAGE SYSTEM

Easy to assemble, handle and install surface drainage system

Effectively removes water from pedestrian areas

Can withstand 5 tonne vehicle weight

Innovative, lightweight and durable design

KCD5T	1m channel drainage

| KCD90	Channel drain quad connector 118 x 118mm

Hints & tips

Applications

• Driveways
• Patios
• Garage entrances
• Thresholds

BUILDING PLASTICS AND A WHOLE LOT MORE.
YOUR ONE-STOP SHOP.

GET A TRADE ACCOUNT TODAY AND GET A WHOLE LOT MORE.

OVER 6000 PRODUCTS AVAILABLE IN-BRANCH

210+ BRANCHES NATIONWIDE

UP TO £30,000 CREDIT

EXCLUSIVE TRADE ACCOUNT PRICING

ONLINE TRADE ACCOUNT

DEDICATED ACCOUNT MANAGER

SIGN UP TODAY. ASK IN BRANCH TODAY FOR MORE DETAILS.

SHOP 24/7 EUROCELL.CO.UK

CLICK & COLLECT IN-BRANCH

FREE ONSITE DELIVERY*

eurocell
BUILDING PLASTICS

*Free onsite delivery on orders over the min. spend - Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland.

ULTRA FLEX®

HIGH PERFORMANCE LIQUID WATERPROOFING SYSTEM

ULTRAFLEX is a moisture cured , single component liquid waterproofing system that can be used straight out of the tin and does not require additives.

FEATURES & BENEFITS

IDEAL FOR:

- New roofs
- Repair or refurbishment of existing roofs
- Complex detailing
- Box and valley gutters

BENEFITS INCLUDE:

- Excellent adhesion to most surfaces
- No primer required
- BBA certified in excess of 25 years
- Early rain resistance
- Cold weather application
- Easy to apply
- Flame/heat free aplication
- Highly elastometric
- Reinforced & seamless
- Can be applied all year round

UV RESISTANCE

FIRE CERTIFIED

ALL YEAR °C

25 years **BBA CERTIFIED**

GUARANTEES

SAFE APPLICATION

CE

BBA APPROVAL INSPECTION TESTING CERTIFICATION
CERTIFICATE 17/5420

www.ultra-flex.com
info@ultra-flex.com

TAPCOSLATE Classic + Conservatory

12° CAN NOW BE FITTED AT 12° ROOF PITCH!

Made for each other

BBA

40 YEAR WARRANTY TRANSFERABLE PRORATED

CE 16

ETA 20/0913 ETA DANMARK

nSBRC National Self Build & Renovation Centre PARTNER

bre

NaCSBA National Custom & Self Build Association

UKCA

also ideal for:

modular homes

outdoor living

self-build

listed & conservation

STONE BLACK | 801

PEWTER GREY | 804

RED ROCK | 809

OLIVE GREEN | 814

PLUM | 706

BRICK RED | 709

CHESTNUT BROWN | 712

COACHMAN MIX | 790

...and don't forget to enquire about our TapcoSlate Classic, purpose-built roofing accessories – they make completing the job so much easier!

There's no better choice for your conservatory roof than market-leading TapcoSlate Classic!

- ○ Lightweight – as low as 12kg per m²
- ○ BRE testing for wind-driven rain found TapoSlate Classic to perform much stronger than all equivalent materials tested
- ○ No breakages – will not crack, split or break if dropped or walked upon
- ○ Authentic slate appearance – combines the beauty of slate with modern technology
- ○ Fully tested to BBA Standards, including fire, wind, driven snow & rain, and water absorption

- ○ 40-year warranty!
- ○ Easy to install with pre-marked nailing and exposure guides, plus horizontal spacers
- ○ Easily cut with a fine-toothed saw or sharp utility blade
- ○ Random Edges and patterns with constant colour throughout each slate
- ○ Wide choice of colours to match existing structures or to add a little more pizazz to your conservatory

---

SHOP ONLINE
eurocell.co.uk/shop

CALL US
08000 77 88 88

IN-BRANCH
eurocell.co.uk/branch-finder

FOLLOW US ONLINE: f | t | in | YouTube | Instagram | Pinterest

BUILDING PLASTICS
AND A WHOLE LOT MORE!

eurocell